Manuscript Report No. 91-04

Furbearer carcass analysis and species status.

Progress Report 1989-90

By C.S. Johnson. 1991

Manitoba
Natural Resources
Wildlife
Biological Services

91-05509/

Furbearer carcass analysis and species status. Progress report 1989-90.

Johnson, C.S. 1991.

Manitoba
Department of Natural Resources
Wildlife Branch
Biological Services
MS Report No. 91- .

ABSTRACT

In 1989-90, 948 carcasses of 13 species of furbearers in Manitoba were analyzed. It was the most widespread collection (largest number of trapline sections) in the six years of the program. Carcasses for 23% of the reported lynx (*Lynx canadensis*) harvest were received. The status of fisher (*Martes pennanti*) and marten (*M. americana*) were good overall. The lynx population was one year past the provincial peak.

Submitted: January 1991.
Distributed: March 1991.

ACKNOWLEDGEMENTS

I would like to thank all the trappers who contributed samples and all the fur staff and Regional Services staff who collected and shipped the carcasses.

TABLE OF CONTENTS

ABSTRACT i

ACKNOWLEDGEMENTS ii

TABLE OF CONTENTS iii

LIST OF FIGURES iv

LIST OF TABLES iv

LIST OF APPENDICES iv

INTRODUCTION 1

METHODS 1

RESULTS 2

DISCUSSION 8

LITERATURE CITED 10

APPENDIX I 11

LIST OF FIGURES

1. Contribution trapline sections 4

2. Lynx tagging distribution 5

3. Lynx age distribution 1989-90. 7

LIST OF TABLES

1. The number of Manitoba furbearer carcasses analyzed in 1989-90 by species, sex and age. 3

2. Age-sex ratios and the relative status of furbearer populations in selected trapping areas. 6

LIST OF APPENDICES

1. Scientific names of furbearers 11

2. Lynx tagging data listed by trapline section 12

3. Carcass analysis data listed by species 23

INTRODUCTION

This, the sixth year of furbearer carcass collection by the Manitoba Wildlife Branch, has pared down the furbearer species composition to ones of major concern. Although the status of most species has been good to excellent over the years, it is important to maintain this data base for the most vulnerable species, namely fisher, marten and lynx. The compilation of data for a number of years allows fur managers to recognize what is normal, identify changes and act accordingly before a problem occurs.

METHODS

Carcasses of lynx, wolverine, wolf, marten, fisher and long-tailed weasel were actively solicited in the 1989-90 trapping season, but all species were accepted. The result was small samples for some of the unsolicited species. Carcass analysis methods and lynx tagging procedures were described in Johnson (1988, 1990, in press) and Rewcastle (1986). An evolution of the most appropriate aging methods resulted in the use of radiographs on all teeth except lynx and weasels. Cementum analysis was performed on all lynx, long-tailed weasel and fisher teeth. Samples of the remaining species were done for verification of radiograph interpretations. Placental scars were too difficult to identify with any consistency and the results are not presented here. The status of any species for any trapline section was made by subjective interpretation of age/sex structures particular to each species. All factors were subjectively weighed based on knowledge and experience to assign the population status in excellent, good, fair and poor categories.

RESULTS

There were 948 specimens of 13 furbearer species collected (Table 1). One hundred and fifty-six contributors from 31 different trapline sections provided samples (Figure 1, Appendix II), the most widespread collection in the six years of the program. Most carcasses were received from Duck Mountain, Whiteshell, Snow Lake, Nelson House, Cranberry Portage, The Pas and Porcupine trapline sections. There were 101 carcasses obtained from the 434 lynx tagged. Most lynx carcasses were received from Norway House, the area of largest harvest (Figure 2, Appendix III).

There was consistently $\leq$ 10% difference (range 0 to 10%) between the radiograph results and the cementum analysis. The aim of the aging methods was to be within 90% of the real age distribution. This has been accomplished through the years of experience in interpreting radiographs, although no known aged animals are included for positive verification.

The population status of selected species in certain sections of adequate sample size were determined based on subjective interpretation (Table 2). Lynx carcasses analyzed comprised 23% of the recorded harvest. Overall the age distribution (Figure 3) was 20% juveniles, 60% yearlings, 21% adults. The composition of the Norway House sample was 33% juveniles, 57% yearlings and 10% adults. Overall the age structure indicates the population was just past the peak for this cycle and at the peak in Norway House.

The status of fisher in the Southeast remained excellent, improved in the Whiteshell and was excellent overall. Marten ranged from good to excellent except in Snow Lake. This may be a result of a small sample size.

Table 1: The number of Manitoba furbearer carcasses analyzed in 1989-90 by species, sex and age.

SPECIES	NO. ANALYZED	MALE			FEMALE			UNKNOWN
		Juv.	Adult	Unknown	Juv.	Adult	Unknown	
Coyote	5	1	1					3
Fisher	149	60	14	12	40	17	2	4
Red Fox	29	20	3		6			
Long-tailed Weasel	23	16	1	1	2	2	1	
Lynx	101	8	42	3	6	25		18
Marten	422	157	98	32	63	57	8	7
Mink	136	151	34	13	18	11	4	5
Otter	43	9	10	1	7	11	2	3
Raccoon	1	1						
Red Squirrel	2							2
Short-tailed Weasel	15			11				4
Wolf	18	4	5	1	3		2	3
Wolverine	3	1				1	1	
Total	926	328	204	67	145	122	16	44

Mink ranged from very good to excellent overall even though some of the samples were small. Otter results were hard to interpret due to the small sample sizes. Overall the otter population appears to be good except in the Whiteshell. In this sample all but one animal came from one line and one trapper. This trapper may be overharvesting based on the juvenile ratio and M:F ratio.



Figure 1: Contributing trapline sections.



Figure 2: Lynx tagging distribution.

Table 2: Age-sex ratios and the relative status of furbearer populations in selected trapping areas.

Trapline Section	Species	Adult	Juvenile	% Juvenile	Male	Female	M:F	J:AF >1.5	Relative Status
Southeast	Fisher	11	22	67	17	14	1.21	7.33	Excellent
Whiteshell	Fisher	3	16	84	11	9	1.22	–	Excellent
	Marten	5	19	79	19	5	3.80	–	Excellent
	Mink	10	9	47	19	1	19.00	–	Excellent
	Otter	11	4	27	6	9	0.67	4.00	Poor–Good
Snow Lake	Fisher	5	26	84	19	12	1.58	–	Very Good
	Marten	10	12	55	11	11	1.00	–	Poor–Good
Nelson House	Fisher	1	16	94	11	7	1.57	–	Very Good
	Mink	3	16	84	8	11	0.73	–	Good
Bloodvein	Marten	11	11	58	15	11	1.36	–	Very Good
Duck Mountain	Marten	72	104	59	128	49	2.61	52.0	Excellent
Porcupine	Marten	11	8	42	12	7	1.71	–	Good
Brochet	Marten	9	19	68	18	10	1.80	–	Good
The Pas	Mink	8	13	62	20	1	20.0	–	Excellent
	Otter	4	4	50	5	6	0.83	–	Poor
Cranberry Portage	Mink	4	15	79	14	5	2.80	–	Very Good



Figure 3: Lynx age distribution 1989–90.

DISCUSSION

Status of the fisher population remains good based on age/sex data. Once again the principles or guidelines set out by Strickland and Douglas (1975) do not apply. The maintenance of the southeastern population may in part be facilitated by the numerous black bear baits present year round. These provide a consistent alternative food source. The animals taken from this area usually have large fat reserves in comparison to those from other areas.

The status of marten appears to be stable with excellent management of the Duck Mountain population aided by good trapper co-operation. The threat to marten will not be trapping but the removal of old growth forests. Old growth forests are preferred winter cover for marten. These areas are also desirable to the forest industry as they contain large trees. There will be need for close communication with the forest industry in managing these stands if marten populations are to be maintained.

It appears lynx reached their overall cyclic peak in Manitoba in 1988-89. The percentage of kittens in the harvest has decreased this year while the percentage of yearlings has increased from 46% in 1988/89 to 60% in 1989/90 (Johnson in press). This reflects the high production and survival rate of kittens in 1988/89. The adult contribution remained approximately the same. The harvest concentration, assuming the same population concentration, shifted from the northwestern to the northeastern RTLs. It can be expected to occur in the eastern and southeastern sections in 1990/91. The age/sex parameters must be examined closely in the next few years to limit harvest at the low, the most vulnerable time for the general lynx population.

Overall furbearer harvest at the present rate does not appear to be detrimental to furbearer populations. With the advent of low fur prices and

reduced trapping activity the maintenance of habitat will be crucial for the maintenance of furbearer species, whether for ecosystem stability–diversity, consumptive or non–consumptive uses.

LITERATURE CITED

Johnson, C.S. 1988. Furbearer carcass analysis and species status, progress report, 1986–87. Manitoba Department of Natural Resources, Wildlife Branch, Biological Services. MS No. 88–02.

Johnson, C.S. 1990. Furbearer carcass analysis and species status, a five year summary 1984–1989. Manitoba Department of Natural Resources, Wildlife Branch, Biological Services. MS No.90–02.

Johnson, C.S. 1990. Summary of the lynx status in Manitoba 1986–89. Manitoba Department of Natural Resources, Wildlife Branch, Biological Services. In Press.

Rewcastle, C.S. 1986. Furbearer carcass analysis and species status, progress report, 1984–85. Manitoba Department of Natural Resources, Wildlife, Biological Services. MS No. 85–21.

Strickland, M. and C. Douglas. 1975. Advances in fisher and marten management. Unpublished. Ontario Ministry of Natural Resources, Algonquin Region. 11pp.

APPENDIX I

Scientific Names of Furbearers

Common Name	Scientific Name
Black Bear	*Ursus americanus*
Coyote	*Canis latrans*
Fisher	*Martes pennanti*
Red Fox	*Vulpes vulpes*
Long-tailed weasel	*Mustela frenata*
Lynx	*Lynx canadensis*
Marten	*Martes americana*
Mink	*Mustela vison*
Otter	*Lutra canadensis*
Raccoon	*Procyon lotor*
Red Squirrel	*Tamiasciuris hudsonicus*
Short-tailed weasel	*Mustela erminea*
Wolf	*Canis lupus*
Wolverine	*Gulo gulo*

APPENDIX II

LYNX TAGGING DATA LISTED BY TRAPLINE SECTION

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Female	Pelt L	Pelt W	Juv	Adult	Age
11/20/89	11/18/89	002		W. MILNER RIDGE	2 LEGHOLD	1	0	71		1	0	.5
TOTAL 1												
	12/01/89	013		ROUND LAKE ZONE	SNARE	1	0	101	26			
	1/20/90	013		KELSEY AREA	SNARE	0	1	81.3	22.2			
	12/28/89	013		CEDAR L.	SNARE	1	0	96.5	21.6			
	12/28/89	013		CEDAR L.	SNARE	0	1	82.6	21.6			
TOTAL 4												
12/11/89	12/08/89	060	19		3 LEGHOLD	0	1	81		1	0	.5
12/13/89		060	19		PADDED	1	0			0	1	1.5
1/08/90	12/15/89	060	27		2 LEGHOLD	1	0	104.1	22.0			
1/08/90	12/02/89	060	25		2 LEGHOLD	0	1	104.1	22.2			
1/14/90	1/06/90	060	20	CROWDUCK LAKE	1.5	0	1	111.8	20.3			
1/14/90	12/28/89	060	20	CROWDUCK LAKE	4 LEGHOLD	1	0	101.6	20.3			
1/14/90	1/01/90	060	20	SADDLE LAKE	1.5 PADDED							
TOTAL 7												
12/01/89	12/01/89	070	27		2 LEGHOLD			96				
12/01/89	12/01/89	070	27		2 LEGHOLD	1	0	90				
12/04/89	12/01/89	070	27		SHOT	1	0	86				
12/04/89	12/01/89	070	27		2 LEGHOLD	0	1	80				
12/08/89	12/01/89	070	26		4 LEGHOLD	0	1	96				
12/08/89	12/01/89	070	26		4 LEGHOLD	1	0	109				
12/11/89	2/01/89	070	28		1.5 COIL SPRING	0	1	99.1	20.3			
12/11/89	1/01/89	070	28		1.5 COIL SPRING	1	0	98.4	21.0			
12/11/89	12/07/89	070	28		CONIBEAR 330	1	0	101.6	21.6			
12/14/89	12/07/89	070	26		4 LEGHOLD	1	0	104	22			
12/14/89	12/07/89	070	26		4 LEGHOLD	0	1	95	19.5			
12/15/89	12/08/89	070	27		1.5 LEGHOLD	1	0	98	24			
12/18/89	12/06/89	070	18		2 LEGHOLD	1	0	95.3	24.0	0	1	1.5
12/18/89	12/02/89	070	28		4 LEGHOLD	0	1	95				
12/20/89	12/06/89	070	28		3 JUMP	1	0	76.2	19.7			
12/20/89	12/07/89	070	28		CONIBEAR 330	1	0	88.3	22.2			
12/22/89	12/18/89	070	26		4 LEGHOLD	0	1	95				
12/22/89	12/18/89	070	26		4 LEGHOLD	1	0	98				
12/29/89	12/18/89	070	27		1.5 LEGHOLD	1	0	92				
1/03/90	12/31/89	070	26		3 LEGHOLD	1	0	97				
1/08/90	12/03/89	070	27		1.5 LEGHOLD	1	0	95				
1/10/90	1/02/90	070	26		2 LEGHOLD	0	1	90				
1/10/90	12/27/89	070	10		1.5 STOPLOSS	0	1	90.2	24.8			
1/11/90	12/15/89	070	26		2 LEGHOLD	1	0	75				
1/12/90	1/04/90	070	28		1.5 LEGHOLD			98				
1/12/90	1/04/90	070	28		1.5 LEGHOLD			68				
1/12/90	1/03/90	070	08		1 LEGHOLD	1	0	95.3	24.1			
1/12/90	1/07/90	070	28		4 LEGHOLD	1	0	101.6	24.1			
1/27/90	1/20/90	070	28		CONIBEAR 330	1	0	96.5	22.2			
2/21/90	2/07/90	070	04		4 LEGHOLD	1	0	94.0	25.4			
2/28/90	1/29/90	070	26		4 LEGHOLD	0	1	102				
TOTAL 31												

PROVINCIAL TOTAL 44

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Female	Pelt L	Pelt W	Juv	Adult	Age
12/11/89	11/30/89	080	01		3 LONG SPRING	1	0	95.3	20.3			
12/29/89	11/01/89	080	09		CONIBEAR 330	1	0	95.3	28.0			
1/04/90	1/01/90	080	14		SNARE	1	0	97.8	23.5			
1/09/90	12/18/89	080	13		3 PADDED	1	0	92.7	24.1			
TOTAL 4												
1/15/90	12/14/89	090	07		2 LEGHOLD	0	1	91.4	30.4			
TOTAL 1												
1/11/90	12/15/89	100	06		3 LEGHOLD	0	1	96.5	25.4			
1/11/90	12/15/89	100	06		CONIBEAR 330	0	1	96.5	25.4			
1/31/90	1/17/90	100	08		3 LEGHOLD	1	0	99.1	23.5			
1/31/90	1/19/90	100	08		3 LEGHOLD			87.6	20.3	0	1	1.5
1/31/90	1/17/90	100	08		3 LEGHOLD			91.4	22.2			
TOTAL 5												
12/15/89		120	03	LEWIS LAKE	3 LEGHOLD	1	0	106.7	20.3			
12/16/89		120	112	BLACK BIRCH L.	3 LEGHOLD	0	1	109.2	21.6			
12/20/89	11/28/89	120	16		SNARE	1	0	104.1	21.6			
12/22/89	12/02/89	120	03	LEWIS LAKE	3 LEGHOLD	1	0	104.1	19.1			
12/22/89	11/27/89	120	03	LEWIS LAKE	3 LEGHOLD	1	0	101.6	20.3			
12/28/89	12/05/89	120	03	LEWIS LAKE	3 LEGHOLD	0	1	109.2	17.8			
TOTAL 6												
11/12/89	12/09/89	140	09		SNARE	0	1	94.0	20.3			
11/21/89	11/20/89	140	11		SNARE	1	0	68.6	15.2			
12/01/89	11/26/89	140	02		SNARE	0	1	71.1	17.5			
12/01/89	11/26/89	140	02		SNARE	1	0	96.5	20.3			
12/01/89	11/17/89	140	04		SNARE	1	0	68.6	20.3			
12/01/89	11/17/89	140	04		SNARE	1	0	96.5	20.3			
12/01/89	11/22/89	140	04		SNARE	0	1	101.6	20.3			
12/01/89	11/23/89	140	04		SNARE	0	1	83.8	20.3			
12/01/89	11/24/89	140	04		SNARE	0	1	83.8	22.9			
12/04/89	12/01/89	140	04		SNARE	1	0	91.4	20.3			
12/05/89	12/02/89	140	12		SNARE	0	1	96.5	20.3			
12/05/89	12/02/89	140	12		SNARE	1	0	73.7	19.1			
12/05/89	12/02/89	140	12		SNARE	1	0	76.2	20.3			
12/06/89	12/04/89	140	11		SNARE	0	1	101.6	20.3			
12/11/89	12/07/89	140	03	BEGG LAKE AREA	SNARE			97.8	27.9			
12/11/89	12/02/89	140	09	BEAVER HILL L.	SNARE			102.9	25.4			
12/11/89	12/09/89	140	09		SNARE	0	1	88.9	20.3			
12/11/89	12/09/89	140	09		SNARE	1	0	96.5	20.3			
12/14/89	12/10/89	140	01		SNARE	0	1	86.4	19.1			
12/18/89	12/13/89	140	09		SNARE	1	0	76.2	17.8			
12/20/89	12/15/89	140	12		SNARE	0	1	96.5	20.3			
12/20/89	12/20/89	140	09		SNARE	1	0	99.1	20.3			
1/10/90	12/20/89	140	08		SNARE	1	0	73.7	17.8			
TOTAL 23												
	12/11/89	150	04		SNARE			94.0	25.4			
	1/11/90	150	04		SNARE	0	1	81.3	20.3			

PROVINCIAL TOTAL 84

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Female	Pelt L	Pelt W	Juv	Adult	Age
	1/11/90	150	04		SNARE	0	1	94	24.1			
	1/11/90	150	04		SNARE	1	0	83.8	22.9			
	12/21/89	150	04		SNARE			105.4	22.9			
	12/09/89	150	40		LEGHOLD			63.5	22.9			
	12/09/89	150	40		LEGHOLD			71.1	25.4			
	12/09/89	150	40		SNARE			68.6	25.4			
	12/14/89	150	40		SNARE			71.1	20.3	0	1	1.5
	12/14/89	150	40		SNARE			73.7	22.9	1	0	.5
	12/14/89	150	40		SNARE			99.1	27.9	1	0	.5
	1/16/90	150	32		SNARE			78.7	22.9			
	1/16/90	150	32		SNARE			91.4	25.4			
12/01/89	12/01/89	150	04		SNARE			86.4	21.6			
12/04/89	12/01/89	150	28		SNARE	0	1	95.3	21.6	0	1	1.5
12/04/89	12/02/89	150	36		SNARE	0	1	78.9	25.4			
12/05/89	12/02/89	150	02		SNARE			66.1	17.8			
12/05/89	12/02/89	150	04		SNARE			94.0	25.4			
12/05/89	12/03/89	150	04		SNARE			91.4	20.3			
12/05/89	12/04/89	150	04		SNARE			88.9	25.4			
12/06/89	12/01/89	150	01		SNARE			81.3	22.9			
12/06/89	12/02/89	150	01		SNARE	0	1	91.4	25.4			
12/06/89	12/03/89	150	01		SNARE			76.2	22.9			
12/06/89	12/03/89	150	01		SNARE			94.0	25.4			
12/08/89	12/05/89	150	13		SNARE			99.1	20.3			
12/08/89	12/03/89	150	01		SNARE			91.4	22.9			
12/08/89	12/01/89	150	03		SNARE	0	1	87.6	20.3			
12/08/89	12/04/89	150	27		SNARE	1	0	91.4	27.9	0	1	1.5
12/11/89	12/06/89	150	39		SNARE			96.5	22.9	1	0	.5
12/11/89	12/05/89	150	23		SNARE			104.1	22.9			
12/11/89	12/05/89	150	23		SNARE			83.8	20.3	1	0	.5
12/12/89		150	02		SNARE	0	1	91.4	26.7			
12/12/89		150	02		SNARE	1	0	86.4	27.9			
12/12/89	12/07/89	150	02		SNARE	0	1	78.7	22.9			
12/12/89	12/07/89	150	02		SNARE	0	1	81.3	22.9			
12/12/89	12/05/89	150	13		SNARE			101.6	22.9			
12/12/89	12/03/89	150	22		SNARE	0	1	76.2	22.9	1	0	.5
12/12/89	12/03/89	150	22		SNARE	0	1	99.1	22.9	0	1	1.5
12/12/89	12/03/89	150	22		SNARE	1	0	78.7	17.8			
12/12/89	12/05/89	150	22		SNARE	1	0	100.6	22.9	0	1	1.5
12/12/89	12/06/89	150	02		SNARE			76.2	21.6			
12/13/89	12/07/89	150	02		SNARE			76.2	20.3			
12/15/89	12/09/89	150	01		SNARE	0	1	99.1	25.4	0	1	1.5
12/15/89	12/02/89	150	04		SNARE	0	1	91.4	22.9			
12/15/89	12/03/89	150	23		SNARE	0	1	86.4	20.3	0	1	3.5
12/15/89	12/03/89	150	23		SNARE	1	0	83.8	20.3	1	0	.5
12/15/89	12/11/89	150	23		SNARE	1	0	81.3	20.3	1	0	.5
12/15/89	12/11/89	150	23		SNARE	1	0	86.4	20.3	0	1	1.5
12/18/89	12/05/89	150	13		SNARE			78.7	19.1			
12/18/89	12/05/89	150	13		SNARE			94.0	22.9			
12/18/89	12/05/89	150	13		SNARE			95.3	22.9			
12/18/89	12/14/89	150	04		SNARE	1	0	94.0	24.1			
12/18/89	12/02/89	150	04		SNARE	0	1	94.0	20.3			

PROVINCIAL TOTAL 135

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Female	Pelt L	Pelt W	Juv	Adult	Age
12/16/89	12/02/89	150	40		SNARE	0	1	71.1	22.9			
12/18/89	12/02/89	150	40		SNARE	0	1	91.4	22.9			
12/18/89	12/02/89	150	40		SNARE	1	0	106.7	25.4			
12/18/89	12/02/89	150	40		SNARE	1	0	96.5	25.4			
12/18/89	12/15/89	150	18		SNARE	0	1	91.4	24.1	0	1	1.5
12/19/89	12/17/89	150	01		SNARE	1	0	104.1	27.9	0	1	1.5
12/19/89	12/17/89	150	01		SNARE			94.0	25.4			
12/19/89	12/03/89	150	23		SNARE	1	0	61	20.3			
12/20/89	12/02/89	150	01		SNARE			99.1	25.4	0	1	1.5
12/20/89	12/18/89	150	01		SNARE			94.0	25.4	0	1	1.5
12/20/89	12/18/89	150	40		SNARE			91.4	25.4			
12/20/89	12/18/89	150	40		SNARE			99.1	25.4			
12/27/89	12/20/89	150	02		SNARE			86.4	22.9			
12/27/89	12/20/89	150	02		SNARE			99.1	25.4			
12/27/89	12/21/89	150	02		SNARE			86.4	22.9			
1/05/90	1/02/90	150	02		SNARE			68.6	17.8			
1/16/90	1/11/90	150	14		LEGHOLD	0	1	94.0	22.9			
1/17/90	1/09/90	150	40		LEGHOLD	1	0	71.1	20.3			
1/17/90	1/10/90	150	40		SNARE	0	1	76.2	22.9			
1/17/90	1/10/90	150	40		SNARE	1	0	99.1	25.4			
1/17/90	1/11/90	150	40		SNARE	1	0	91.4	22.9			
1/19/90	1/10/90	150	13		SNARE			83.8	17.8	0	1	1.5
1/19/90	1/11/90	150	13		SNAE			81.3	17.8			
1/19/90	1/12/90	150	13		SNARE			73.7	17.8			
1/19/90	1/01/90	150	32		SNARE			91.4	22.9	0	1	1.5
1/19/90	1/11/90	150	32		SNARE			78.7	20.3			
1/19/90	1/16/90	150	32		SNARE			78.7	20.3			
1/19/90	1/16/90	150	32		SNARE			78.7	22.9			
2/05/90	1/16/90	150	32		SANRE	1	0	73.7	19.1			
2/05/90	1/16/90	150	32		SNARE			73.7	20.3			
2/05/90	1/16/90	150	32		SNARE			96.5	22.9			
2/05/90	1/16/90	150	32		SNARE	0	1	73.7	20.3			
2/05/90	1/16/90	150	32		SNARE	0	1	94	20.3			
2/05/90	1/16/90	150	32		SNARE	1	0	76.2	20.3			
2/05/90	1/16/90	150	32		SNARE	1	0	81.3	22.9			
2/05/90	1/16/90	150	32		SNARE	1	0	91.4	20.3			
TOTAL 89												
11/27/89	11/20/89	160	04	BIGSTONE LAKE	SNARE	1	0	96.5	25.4			
11/27/89	11/23/89	160	04	BIGSTONE LAKE	SNARE	0	1	86.4	25.4			
11/28/89	11/18/89	160	39	STEVENSON LAKE	SNARE			76.2	19.1			
11/29/89	11/16/89	160	04	FAIRY LOCK L.	SNARE			99.1	20.3			
11/30/89	11/18/89	160	31	ELLIOT LAKE	4 LEGHOLD	0	1	114.3	25.4			
11/30/89	11/18/89	160	31	ELLIOT LAKE	4 LEGHOLD	0	1	99.1	24.1			
11/30/89	11/21/89	160	31	ELLIOT LAKE	4 LEGHOLD	0	1	100.3	25.4			
11/30/89	11/21/89	160	31	ELLIOT LAKE	4 LEGHOLD	1	0	100.3	24.1			
11/30/89	11/22/89	160	10	ISLAND L. RIVER	SNARE			91.4	21.6			
12/04/89	11/23/89	160	03	BEGG LAKE	SNARE			99.1	25.4			
12/04/89	11/24/89	160	05	COBHAM RIVER	SNARE			91.4	25.4			
12/04/89	11/24/89	160	05	COBHAM RIVER	SNARE			94.0	26.7			
12/06/89	11/27/89	160	05	COBHAM RIVER	SNARE			88.9	25.4			

PROVINCIAL TOTAL 184

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Female	Pelt L	Pelt W	Juv	Adult	Age
12/07/89	12/02/89	160	02	STEVENSON PELIC	SNARE	1	0	78.7	21.6			
12/07/89	11/18/89	160	04	BIGSTONE LAKE	SNARE			101.6	22.9			
12/08/89	11/15/89	160	09	BEAVER LAKE	SNARE	1	0	104.1	27.9			
12/11/89	12/01/89	160	09	BEAVER HILL L	SNARE			66.0	19.1			
12/11/89	12/01/89	160	09	BEAVER HILL L	SNARE			68.6	20.3			
12/11/89	12/05/89	160	09	BEAVER LAKE	SNARE	1	0	94.0	17.8			
12/11/89	12/02/89	160	27	BEAVER HILL L.	SNARE	0	1	102.9	25.4			
12/11/89	12/02/89	160	27	BEAVER LAKE	SNARE	1	0	78.7	19.1			
12/11/89	12/01/89	160	42	BIGSTONE LAKE	SNARE	1	0	100.3	24.1			
12/11/89	12/01/89	160	42	BIGSTONE LAKE	SNARE	1	0	101.6	26.7			
12/11/89	12/02/89	160	42	BIGSTONE LAKE	SNARE	1	0	100.3	27.9			
12/13/89	11/29/89	160	04	BENNETT LAKE	SNARE	1	0	88.9	26.7			
12/18/89	12/11/89	160	05	COBHAM LAKE	SNARE			92.7	24.1			
12/19/89	12/09/89	160	03	OWL LAKE AREA	LEGHOLD	0	1	73.7	25.4			
12/19/89	11/20/89	160	03	BIGSTONE LAKE	CONIBEAR 330			74.9	21.6			
12/20/89	11/28/89	160	29	CORMAN LAKE	SNARE			106.7	21.6			
1/11/90	1/06/90	160	02	PELICAN LAKE	SNARE			88.0	22.9			
2/14/90	2/12/90	160	10	ISLAND L. RIVER	SNARE	0	1	81.3	20.3			
TOTAL 31												
11/28/89	11/21/89	210	17		4 JUMP	0	1	96.5	25.4			
TOTAL 1												
1/15/90	1/02/90	260		DRAKE RV.	CONIBEAR	1	0	106.7	26.7	0	1	1.5
1/30/90	12/18/89	260		PELICAN LAKE	CONIBEAR 280	1	0	101.6	25.4	0	1	2.5
TOTAL 2												
	2/14/90	280		3-43-23	4 LEGHOLD	0	1	92.7	21.6	0	1	1.5
	1/08/90	280		29-46-26	SNARE	1	0	102.9	26.7	0	1	2.5
	1/05/90	280		TP43-R21	4 LEGHOLD	1	0	101.6	30.5	0	1	1.5
TOTAL 3												
2/25/90	1/24/90	340	22		CONIBEAR 120	0	1	104	25.4			
TOTAL 1												
	1/01/89	350	05	COWAN BAY	LEGHOLD	0	1	111	18.4	1	0	.5
	1/01/89	350	05	COWAN BAY	LEGHOLD	1	0	96.5	20.3			
	11/15/89	350	08	DOLOMITE LAKE	CONIBEAR 330	0	1	112.4	19.7	0	1	2.5
12/15/89	12/02/89	350	08	DELMOTTE L. RD	SNARE	1	0	99.1	20.3			
1/05/90	12/27/89	350	08	FENNERS LAKE	SNARE	1	0	99.1	21.6			
1/12/90	12/24/89	350	02	SANDY LAKE	SNARE	0	1	102.9	22.9			
1/23/90	1/23/90	350	05	CALVAN'S BAY	4 LEGHOLD	1	0	104.1	22.9			
TOTAL 7												
12/01/89	11/28/89	360	30		4 LEGHOLD	0	1	96.5	25.4			
12/04/89	11/27/89	360	56		4 LEGHOLD	1	0	96.5	30.5			
12/04/89	12/02/89	360	56		SNARE	1	0	104.1	25.4			
12/11/89	11/29/89	360	54		4 LEGHOLD	0	1	96.5	20.3			
12/12/89	11/29/89	360	38		SNARE	1	0	78.7	20.3			
12/14/89	12/09/89	360	20		1 LEGHOLD	1	0	91.4	25.4	0	1	1.5
12/14/89	12/10/89	360	20		1 LEGHOLD	1	0	101.6	25.4			

PROVINCIAL TOTAL 223

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Female	Pelt L	Pelt W	Juv	Adult	Age
12/14/89	12/07/89	360	58		2 LEGHOLD	0	1	96.5	17.8			
12/15/89	12/27/89	360	01		1.5 LEGHOLD	0	1	83.8	25.4			
12/15/89	12/12/89	360	D		4 LEGHOLD	0	1	96.5	20.3			
12/16/89	12/15/89	360	27		SNARE	1	0	96.5	20.3			
12/18/89	12/05/89	360	01		SNARE	1	0	91.4	20.3			
12/19/89	12/14/89	360	38		SNARE	1	0	96.5	25.4			
12/19/89	12/11/89	360	20		SNARE	1	0	96.5	22.9			
12/19/89	11/27/89	360	01		SNARE	0	1	88.9	25.4			
12/19/89	12/11/89	360	01		SNARE	1	0	94.0	30.5			
12/19/89	12/11/89	360	01		SNARE	1	0	94.0	30.5			
12/19/89		360	B					76.2	20.3			
12/20/89	12/11/89	360	01		SNARE	1	0	91.4	20.3			
12/28/89	12/20/89	360	27		1 LEGHOLD	0	1	71.1	15.2			
12/28/89	12/18/89	360	27		SNARE	0	1	78.7	20.3			
12/28/89	12/18/89	360	27		SNARE	1	0	99.1	22.9			
12/28/89	12/22/89	360	D		1.5 LEGHOLD	0	1	96.5	20.3			
12/29/89	12/18/89	360	29		SNARE	1	0	76.2	20.3			
1/02/90	12/20/89	360	04		CONIBEAR 320	1	0	94.0	20.3			
1/03/90	12/19/89	360	20		1.5 LEGHOLD	1	0	88.9	20.3			
1/04/90	12/26/89	360	01		SNARE	1	0	71.1	20.3			
1/15/90	1/06/90	360	27		2 LEGHOLD	1	0	76.2	22.9			
1/16/90	1/12/90	360	B		4 LEGHOLD	1	0	91.4	20.3			
2/17/90	2/03/90	360	D		SNARE	0	1	94.0	22.9			
TOTAL 30												
11/20/89	11/15/89	370	68	OXFORD LAKE	SNARE	0	1	104.1	24.1	0	1	1.5
12/01/89	3/15/89	370	57	LAIDLAW LAKE	SNARE	0	1	91.4	25.4			
12/04/89	3/15/89	370	57	LAIDLAW LAKE	SNARE	0	1	104.1	24.1			
12/04/89	12/02/89	370	52	MAGIL LAKE	SNARE	0	1	96.5	27.9			
12/05/89	12/02/89	370	50	SANDY LAKE	SNARE	1	0	99.1	25.4			
12/05/89	12/02/89	370	64	OXFORD LAKE	SNARE	1	0	91.4	24.1			
12/05/89	12/02/89	370	47	OXFORD LAKE	SNARE	0	1	76.2	25.4			
12/10/89	3/15/89	370	57	LAIDLAW LAKE	SNARE	0	1	78.7	20.3			
12/13/89	12/09/89	370	68	OXFORD HOUSE	SNARE	0	1	104.1	25.4	0	1	2.5
12/13/89	12/09/89	370	68	OXFORD LAKE	SNARE	1	0	99.1	24.1	0	1	1.5
12/15/89	12/10/89	370	57	LAIDLAW LAKE	SNARE	0	1	101.6	27.9			
12/18/89	12/12/89	370	60	LAIDLAW LAKE	SNARE	0	1	91.4	20.3			
12/18/89	12/10/89	370	57	LAIDLAW LAKE	SNARE	0	1	88.9	22.9			
12/18/89	12/10/89	370	57	LAIDLAW LAKE	SNARE	0	1	99.1	25.4			
12/19/89	12/12/89	370	47	OXFORD LAKE	SNARE	0	1	96.5	27.9			
12/19/89	12/12/89	370	47	OXFORD LAKE	SNARE	1	0	106.7	27.9			
12/27/89	12/24/89	370	60	LAIDLAW LAKE	SNARE	1	0	94.0	25.4			
12/28/89	12/26/89	370	57	LAIDLAW LAKE	SNARE	0	1	71.1	22.9			
12/28/89	12/26/89	370	57	LAIDLAW LAKE	SNARE	1	0	96.5	22.9			
12/30/89	12/27/89	370	19	SCHWATKA LAKE	SNARE	0	1	101.6	22.9			
12/30/89	12/26/89	370	68	OXFORD HOUSE	SNARE	0	1	101.6	22.9			
12/30/89	12/27/89	370	57	LAIDLAW LAKE	SNARE	0	1	99.1	22.9			
12/30/89	12/27/89	370	57	LAIDLAW LAKE	SNARE	1	0	83.8	22.9			
1/08/90	1/05/90	370	19	SCHWATKA LAKE	SNARE	0	1	96.5	25.4			
TOTAL 24												

PROVINCIAL TOTAL 271

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Female	Pelt L	Pelt W	Juv	Adult	Age
12/14/89	12/08/89	380	02		4 LEGHOLD	0	1	102.9	25.4	0	1	1.5
12/15/89	12/07/89	380	02		SNARE	1	0	102.9	25.4			
1/02/90	12/28/89	380	03		3 LEGHOLD	0	1	85.1	24.8	0	1	1.5
1/18/90	12/02/89	380	02		1.5 LEGHOLD	0	1	99.1	23.5	0	1	1.5
2/01/90	1/08/90	380	49		1 LEGHOLD	0	1	102.9	33.0			
TOTAL 5												
1/29/90	1/07/90	400	03		SNARE	1	0	107	25.4			
TOTAL 1												
11/23/89	11/15/89	410	19		SNARE	1	0	94.0	26.7			
12/15/89	11/27/89	410	18		3 LEGHOLD			121.9	27.9	0	1	1.5
12/15/89	12/01/89	410	18		3 LEGHOLD	1	0	109.2	22.9	0	1	8.5
12/15/89	12/14/89	410	18		3 LEGHOLD			99.1	22.9	1	0	.5
12/31/89	12/22/89	410	27		SNARE			86.4	29.2	0	1	2.5
12/31/89	12/22/89	410	27		SNARE			91.4	26.7	0	1	1.5
1/12/90	1/01/90	410	18		3 LEGHOLD	1	0	92.1	29	0	1	1.5
1/26/90	1/12/90	410	22									
1/26/90	1/15/90	410	18		3 LEGHOLD	0	1	SMALL				
TOTAL 9												
	12/27/89	420	11	GRASS RIVER	1.5 LEGHOLD	0	1	96.0	25.0			
	2/20/90	420	14	WOOSEY LAKE	SNARE	0	1	72.39	19.7	1	0	.5
12/18/89	12/04/89	420	22	SQUALL LAKE	3 JUMP	1	0	97.8	20.3	0	1	1.5
1/08/90	12/02/89	420	14	TEARDROP LAKE	1.5 JUMP	0	1	89.0	24.0	0	1	1.5
1/08/90	12/03/89	420	14		SNARE	1	0	98.0	24.0			
1/11/90	12/30/89	420	23		3 PADDED	0	1	88.0	18.0	1	0	.5
1/22/90	1/15/90	420	23		3 DOUBLE SPRING	1	0			0	1	2.5
2/13/90	1/06/90	420	18		1.5 LEGHOLD	1	0	85.0	18.0	1	0	.5
TOTAL 8												
12/08/89	12/06/89	430	18		SHOT	0	1	80.9	20.3	1	0	.5
12/08/89	12/07/89	430	18		SNARE	0	1	83.8	20.3			
12/11/89	12/06/89	430	47		LEGHOLD			91.4	24.1			
12/21/89	12/14/89	430	09		LEGHOLD	1	0	94.0	25.4			
1/05/90	12/23/89	430	09		SNARE	0	1	91.4	21.0			
1/05/90	12/28/89	430	09		SNARE	1	0	95.2	25.4			
1/12/90	1/07/90	430	09		SNARE			100.3	23.5			
1/12/90	1/07/90	430	09		TRAP	1	0	102.2.	24.1			
1/25/90	1/19/90	430	09		SNARE	0	1	94.0	24.1			
1/26/90	1/20/90	430	11		SNARE	0	1	81.3	21.6	1	0	.5
2/03/90	1/26/90	430	17	W. ROSENBERRY L	SNARE	1	0	108.0	24.8	0	1	
2/03/90	1/28/90	430	17	W ROSENBERRY L.	SNARE	1	0	100.3	22.9			
2/03/90	1/28/90	430	17	W. ROSENBERRY L	SNARE	1	0	101.6	22.9			
2/05/90	1/25/90	430	11	HALFWAY CREEK	CONIBEAR 220	1	0	99.1	22.9			
2/08/90	1/02/90	430	12		SNARE	1	0	80.0	20.3			
2/08/90	12/29/90	430	12		SNARE	1	0	81	21.6			
2/13/90	1/30/90	430	17	36-69-10W	CONIBEAR 280	1	0	86.4	21.6	1	0	.5
2/26/90	2/09/90	430	21		1.5 LEGHOLD	1	0	104.1	24.1			
TOTAL 18												

PROVINCIAL TOTAL 312

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Feaale	Pelt L	Pelt W	Juv	Adult	Age
	12/06/89	440	26		3 LEGHOLD	1	0	104.8	22.9			
12/21/89	12/02/89	440	99		SNARE	0	1	100.3	22.9			
1/03/90	12/22/89	440	33		TRAP	0	1	81.3	20.3			
1/05/90	12/30/89	440	08	MCLAREN CREEK	4 LEGHOLD	0	1	94.0	25.4			
1/12/90	12/27/89	440	26									
1/22/90	1/15/90	440	10		SNARE	0	1	94.0	26.7			
2/22/90	1/30/90	440	08	MCLAREN CREEK	3 LEGHOLD	0	1	85.1	21.6			
TOTAL 7												
12/20/89	11/26/89	450	42		TRAP	1	0	81.4	22.9			
12/21/89		450	24		SNARE			86.4	24.1			
1/22/90	12/15/89	450	58		SNARE	0	1	73.7	20.3			
1/22/90	12/15/89	450	58		SNARE	1	0	91.4	24.1			
2/16/90		450	24		SNARE			97.8	26.7			
TOTAL 5												
12/14/89	12/02/89	500	17		SNARE	1	0	105.4	21.6			
12/14/89	12/05/89	500	17		SNARE	0	1	100.3	20.7			
12/15/89	12/04/89	500	10		SNARE	1	0	96.5	22.9			
1/02/90	12/01/89	500	17		SNARE	1	0	99.1	20.3			
1/07/90	12/28/89	500	38		CONIBEAR	0	1	82	20			
1/19/90	1/14/90	500	19		SNARE	1	0	99.1	20.3			
1/19/90	1/15/90	500	19		SNARE	0	1	86.4	20.3			
TOTAL 7												
12/04/89	12/02/89	510	11		SNARE	1	0	82.6	17.8			
12/04/89	12/02/89	510	11		SNARE	1	0	87.3	17.8			
12/07/89	12/04/89	510	12		SNARE	0	1	88.1	19.1			
12/13/89	12/08/89	510	12		SNARE	1	0	101.6	20.3			
12/15/89	12/12/89	510	13		SNARE	1	0	91.4	17.8			
12/15/89	12/04/89	510	39		SNARE	0	1	86.4	15.2			
12/15/89	12/10/89	510	39		SNARE	1	0	86.4	16.5			
12/15/89	12/10/89	510	39		SNARE	1	0	99.1	17.8			
12/15/89	12/04/89	510	39		SNARE	1	0	78.7	15.2			
12/15/89	12/05/89	510	08		CONIBEAR	1	0	100	25			
12/18/89	12/09/89	510	35		SNARE	1	0	104.1	17.8			
12/18/89	12/09/89	510	35		SNARE	1	0	91.4	15.2			
12/18/89	12/01/89	510	42		SNARE	0	1	86.4	20.3			
12/18/89	12/01/89	510	42		SNARE	1	0	78.7	17.8			
12/18/89	12/01/89	510	42		SNARE	1	0	81.3	17.8			
12/18/89	12/09/89	510	13		SNARE	1	0	99.1	17.8			
12/18/89	12/16/89	510	39		SNARE	0	1	94.0	24.8			
12/19/89	12/15/89	510	49		1.5 LEGHOLD	1	0	83.8	16.5			
12/19/89	12/17/89	510	39		SNARE	1	0	101.6	17.8			
12/20/89	12/07/89	510	33		CONIBEAR	0	1	100	28			
12/21/89		510	05		SNARE	1	0	78.7	15.2			
12/29/89	12/27/89	510	49		SNARE	0	1	81.3	19.1			
1/02/90	12/23/89	510	11		SNARE	0	1	94	16.5			
1/02/90	12/27/89	510	39		SNARE	1	0	96.5	15.2			
1/08/90	12/27/89	510	10		SNARE	1	0	88.9	16.5			
1/10/90	1/13/90	510	42		SNARE	1	0	104.1	25.4			

PROVINCIAL TOTAL 356

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Female	Pelt L	Pelt W	Juv	Adult	Age
1/15/90	1/16/90	510	12		SNARE	0	1	86.6	15.2			
1/15/90	1/12/90	510	11		SNARE	0	1	104.1	19.1			
1/15/90	1/12/90	510	11		SNARE	0	1	86.4	17.1			
1/15/90	12/27/89	510	05		SNARE	0	1	94.0	21.6			
1/15/90	1/12/90	510	49		SNARE	0	1	91.4	20.3			
1/16/90	1/04/90	510	49		SNARE	1	0	82.6	22.9			
1/17/90	1/02/90	510	33		CONIBEAR	0	1	100	25			
1/17/90	1/02/90	510	33		CONIBEAR	0	1	95	25			
1/18/90	12/27/89	510	39		SNARE	0	1	81.3	11.5			
1/18/90	1/08/90	510	39		SNARE	1	0	101.6	17.8			
1/18/90	12/10/89	510	39		SNARE	0	1	68.6	17.8			
1/18/90	1/08/90	510	39		SNARE	1	0	68.6	17.8			
1/19/90	1/13/90	510	42		SNARE	1	0	101.6	22.9			
1/21/90	1/18/90	510	49		SNARE	1	0					
1/25/90	1/22/90	510	42		SNARE	1	0	96.5	19.1			
1/26/90	1/18/90	510	35		SNARE	1	0	73.7	17.8			
2/03/90	1/30/90	510	12		SNARE	1	0	91.4	19.1			
2/09/90	2/02/90	510	43		SNARE	0	1	94.0	20.3			
3/12/90	1/30/90	510	11		SNARE	0	1	88.9	19.1			
TOTAL 45												
12/01/89	11/22/89	520	29		LEGHOLD	1	0	106.7	21.6			
12/08/89		520	31		SNARE	0	1					
12/08/89		520	31		SNARE	1	0					
12/08/89		520	30		SNARE	0	1					
12/08/89		520	30		SNARE	1	0					
12/08/89		520	27		SNARE	0	1					
12/08/89		520	27		SNARE	0	1					
12/08/89		520	27		SNARE	0	1					
12/08/89		520	27		SNARE	1	0					
12/08/89		520	27		SNARE	1	0					
12/08/89		520	15		SNARE	0	1					
12/08/89		520	29		TRAP	0	1					
12/14/89		520	14		SNARE	0	1					
12/14/89		520	15		SNARE	0	1					
12/14/89		520	29		SNARE	0	1					
12/15/89	12/08/89	520	32		SNARE	0	1	90.2	21.6			
12/15/89		520	70		SNARE	1	0					
12/15/89		520	15		SNARE	0	1					
12/19/89		520	12		TRAP	1	0					
12/19/89		520	31		SNARE	0	1					
12/19/89		520	31		SNARE	1	0					
12/19/89		520	31		SNBARE	0	1					
12/20/89		520	70		3 LEGHOLD	0	1					
12/20/89		520	70		SNARE	0	1					
12/20/89		520	70		TRAP	1	0					
12/20/89		520	22		SNARE	0	1					
12/20/89		520	22		SNARE	1	0					
12/21/89		520	15		SNARE	1	0	91.4	19.1			
12/22/89	12/01/89	520	59		SNARE	0	1	100.3	22.9			
1/05/90	1/03/90	520	15		SNARE	1	0	106.7	25.4			

PROVINCIAL TOTAL 405

Date Rec'd	Date Caught	Section	Line No.	Description	Trap Type	Male	Female	Pelt L	Pelt W	Juv	Adult	Age
1/05/90	11/01/89	520	18		CONIBEAR	1	0	109.3	25.4			
1/09/90	12/01/89	520	61		SNARE	1	0	99.1	20.3			
1/10/90	12/30/89	520	20		LEGHOLD	1	0	101.6	25.4			
1/10/90	12/30/89	520	20		SNARE	0	1	83.8	20.3			
1/11/90	12/27/89	520	27		TRAP	1	0	102.9	25.4			
1/19/90	12/01/89	520	18		SNARE	1	0	109.2	26.7			
1/22/90	1/01/90	520	64		SNARE	1	0	78.7	20.3			
3/30/90	1/01/90	520	05		SNARE	0	1	104	22.9			
TOTAL 38												
12/18/89	12/06/89	560	04		4 LEGHOLD	1	0	101.6	25.4			
12/27/89	11/03/89	560	03		2 LEGHOLD	0	1	91.4	25.4			
TOTAL 2												
12/05/89	12/01/89	580	04		SNARE	1	0	100	38			
12/05/89	12/01/89	580	04		SNARE	1	0	100	40			
12/11/89	12/06/89	580	12		SNARE	1	0	83.8	25.4			
12/15/89	12/09/89	580	04		SNARE	1	0	90	20			
12/15/89		580	33					94	21.6			
12/18/89	12/01/89	580	03		SNARE			76.2	20.3			
12/18/89	12/01/89	580	03		SNARE	0	1	71.1	20.3			
12/18/89	12/01/89	580	03		SNARE	1	0	96.5	20.3			
12/18/89	12/01/89	580	03		SNARE	0	1	76.2	20.3			
12/18/89	12/01/89	580	03		SNARE	0	1	76.2	20.3			
1/11/90	12/01/89	580	40		SNARE	0	1	76.2	20.3			
1/14/90	1/10/90	580	08		SNARE	1	0	85	25			
1/16/90	1/12/90	580	03		SNARE	1	0	81.3	20.3			
1/16/90	1/12/90	580	03		SNARE	1	0	94	21.6			
1/16/90	1/12/90	580	03		SNARE	1	0	94	21.6			
1/20/90	1/17/90	580	03		CONIBEAR	1	0	80	20			
1/20/90	1/15/90	580	35		CONIBEAR	0	1	100	23			
1/28/90	1/17/90	580	03		CONIBEAR	0	1	80	20			
3/03/90	12/20/89	580	33		SNARE	0	1	83.5	26.7			
TOTAL 19												

PROVINCIAL TOTAL 434

APPENDIX III

CARCASS ANALYSIS DATA LISTED BY SPECIES

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
COYOTE						0	0	1	1-Oct-89			009	
COYOTE	176	1	0			1	0	0					
COYOTE	300	0	1	.5		0	0	1					
COYOTE	591	0	1	.5		1	0	0	1-Nov-89			009	
COYOTE	592	1	0			1	0	0	4-Nov-89	38 LBS.		009	
COYOTE	789					0	0	1	27-Nov-89	SW26-23-24W, PERHAPS RABID	NO MANGE, SIP YUKIW, BRANDV	010	
FISHER	081	0	1	.5		0	1	0				060	14
FISHER	082	0	1	.5		1	0	0		RH		060	14
FISHER	083	0	1	.5		1	0	0		RH		001	
FISHER	084	1	0	2.5		1	0	0		LH, LOTS OF FAT		001	
FISHER	085	0	1	.5		1	0	0	24-Nov-89	RF, LOTS OF FAT, MOOSE LAK		001	
FISHER	087	1	0	1.5		1	0	0	24-Nov-89	LF		001	
FISHER	088	0	1	.5		1	0	0				060	14
FISHER	089	0	1	.5		0	1	0				001	
FISHER	090	0	1	.5		0	1	0		RH		001	
FISHER	091	1	0	4.5		0	1	0				001	
FISHER	092	0	1	.5		1	0	0		LH		001	
FISHER	093	1	0	1.5		0	1	0		RF		070	19
FISHER	096	0	1	.5		1	0	0		LOTS OF FAT		070	19
FISHER	097	0	1	.5		1	0	0		LH LOTS OF FAT		001	
FISHER	098	1	0	4.5		1	0	0		RF		001	
FISHER	099	0	1	.5		1	0	0		LH LOTS OF FAT		001	
FISHER	100	0	1	.5		0	1	0		LF		001	
FISHER	101	1	0	1.5		1	0	0		LH		001	
FISHER	102	0	1	.5		0	1	0		LH		001	
FISHER	103	0	1	.5		0	1	0		LH		001	
FISHER	104	0	1	.5		0	1	0		RH		001	
FISHER	105	0	1	.5		1	0	0				070	19
FISHER	106	0	1	.5		1	0	0				070	19
FISHER	107	0	1	.5		0	1	0				070	19
FISHER	144	1	0	3.5		0	1	0				001	
FISHER	145	1	0	3.5		1	0	0		LF		001	
FISHER	146	0	1	.5		1	0	0				001	
FISHER	147	1	0	1.5		1	0	0	31-Jan-90			001	
FISHER	148	0	1	.5		0	0	1	31-Jan-90	LH		001	
FISHER	150	0	1	.5		1	0	0		LF		001	
FISHER	151	0	1	.5		0	0	1	31-Jan-90			001	
FISHER	153	0	1	.5		0	1	0				001	
FISHER	154	0	1	.5		1	0	0		RF		001	
FISHER	155	0	1	.5		1	0	0		LF		001	
FISHER	200	0	1	.5		0	1	0				220	10
FISHER	201	1	0	1.5		0	1	0				220	10
FISHER	206	1	0	10.5		0	1	0	1-Jan-90			001	
FISHER	207	1	0	1.5		0	1	0	1-Jan-90	RF			
FISHER	208	1	0	1.5		0	1	0	1-Jan-90	RH		001	
FISHER	209	1	0	1.5		1	0	0	1-Jan-90			001	
FISHER	210	0	1	.5		0	1	0	1-Jan-90	RF		001	
FISHER	211	0	1	.5		0	1	0	1-Jan-90			001	
FISHER	225	0	1	.5		0	1	0	7-Nov-89	RH		060	19
FISHER	226	1	0	1.5		1	0	0	8-Nov-89	LH		060	19
FISHER	227	0	1	.5		0	1	0	18-Nov-89			060	19

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
FISHER	228	0	1	.5		1	0	0	1-Nov-89			060	18
FISHER	246	1	0	1.5		1	0	0	7-Nov-89			060	19
FISHER	253	0	1	.5		0	1	0	14-Nov-89			060	04
FISHER	324					0	1	0	29-Nov-89			060	03
FISHER	330	0	1	.5		0	1	0	8-Nov-89	LF		060	19
FISHER	331	0	1	.5		0	1	0	7-Nov-89	RF		060	19
FISHER	332	0	1	.5		1	0	0	18-Jan-90	LF		060	18
FISHER	370	1	0	5.5		0	1	0				100	06
FISHER	371	1	0	1.5		0	1	0		L SHOULDER AND NECK		100	06
FISHER	464	0	1	.5		1	0	0				060	03
FISHER	465	1	0	1.5		0	1	0				060	09
FISHER	466	0	1	.5		1	0	0				060	09
FISHER	503	1	0	2.5		1	0	0	2-Dec-89			150	22
FISHER	536	0	1	.5		1	0	0	1-Dec-89			150	22
FISHER	537	0	1	.5		1	0	0	3-Dec-89			150	01
FISHER	538	0	1	.5		0	1	0	4-Dec-89			150	01
FISHER	539	0	1	.5		0	1	0	7-Dec-89			420	12
FISHER	540	0	1	.5		0	1	0	22-Dec-89			420	23
FISHER	541	0	1	.5		1	0	0	27-Nov-89			420	23
FISHER	542	0	1	.5		1	0	0	3-Dec-89			420	23
FISHER	543	1	0	4.5		1	0	0	5-Jan-90	RF		420	23
FISHER	544	0	1	.5		1	0	0	29-Nov-89			420	23
FISHER	545	1	0	4.5		0	1	0	29-Nov-89	RH, RF LEG CUT AND HEALED		150	22
FISHER	546	1	0	1.5		0	1	0	17-Dec-89			420	12
FISHER	547	0	1	.5		1	0	0	13-Dec-89	LH		420	22
FISHER	548	1	0	2.5		1	0	0	27-Dec-90	RF		420	22
FISHER	549	0	1	.5		1	0	0	16-Dec-89	LF			
FISHER	550	0	1	.5		0	1	0	21-Dec-89			420	22
FISHER	551	0	1	.5		1	0	0	21-Feb-90	LF		510	33
FISHER	552	0	1	.5		1	0	0	21-Feb-90			510	33
FISHER	553	0	1	.5		0	1	0	21-Feb-90			510	33
FISHER	565	0	1	.5		0	1	0	21-Feb-90			510	33
FISHER	566	0	1	.5	0	0	0	1					
FISHER	567	0	1	.5		1	0	0	21-Feb-90			510	33
FISHER	593	1	0	7.5		1	0	0	1-Nov-89			002	
FISHER	594	0	1	.5		1	0	0	10-Dec-89			420	23
FISHER	596	0	1	.5		1	0	0	29-Dec-90	RF		420	22
FISHER	597	0	1	.5		1	0	0		LF		420	22
FISHER	598	0	1	.5		0	1	0	4-Dec-89			420	22
FISHER	599	0	1	.5		0	1	0	27-Dec-89			420	22
FISHER	600	0	1	.5		0	1	0	31-Dec-89			420	22
FISHER	601	0	1	.5		1	0	0	12-Dec-89			420	22
FISHER	602	0	1	.5		1	0	0	24-Nov-89			420	23
FISHER	603	0	1	.5		1	0	0	28-Dec-89			420	21
FISHER	604	0	1	.5		1	0	0	7-Dec-89			420	21
FISHER	605	0	1	.5		0	1	0	7-Dec-89			420	21
FISHER	606	0	1	.5		1	0	0	22-Jan-90	LF		510	12
FISHER	607	0	1	.5		0	1	0	22-Jan-90			510	12
FISHER	613	0	1	.5		0	1	0	21-Feb-90			510	33
FISHER	614	0	1	.5		0	1	0	21-Feb-90	RF		510	33
FISHER	623	0	1	.5		1	0	0	21-Feb-90			510	33
FISHER	624	0	1	.5		0	1	0	28-Nov-89	LH		420	22

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
FISHER	625	0	1	.5		1	0	0	25-Nov-89			420	01
FISHER	627	0	1	.5		1	0	0	1-Nov-89			430	21
FISHER	628	0	1	.5		1	0	0	15-Dec-89	LH		510	53
FISHER	629	0	1	.5		1	0	0	15-Dec-89	LF		510	53
FISHER	630	0	1	.5		1	0	0	15-Dec-89	LF		510	53
FISHER	631	0	1	.5		1	0	0	15-Dec-89	RF		510	53
FISHER	632	0	1	.5		1	0	0	27-Dec-89	RF		420	22
FISHER	638	0	1	.5		1	0	0	8-Dec-89			420	23
FISHER	639	0	1	.5		1	0	0	2-Dec-89			420	16
FISHER	640	0	1	.5		0	1	0	13-Nov-89	RF		430	21
FISHER	641	0	1	.5		1	0	0	14-Nov-89	SHOT IN HEAD EXIT NECK		430	21
FISHER	642	0	1	.5		1	0	0		RF		430	21
FISHER	643	0	1	.5		1	0	0		RF		430	21
FISHER	646	0	1	.5		0	1		5-Jan-90			420	23
FISHER	647	0	1	.5		1	0	0	14-Dec-89			420	12
FISHER	648	0	1	.5		1	0	0	22-Nov-89			150	01
FISHER	649	0	1	.5		0	1	0	20-Nov-89	LF		150	01
FISHER	650	1	0	1.5		0	1	0	15-Dec-89	RH		510	53
FISHER	651	0	1	.5		1	0	0	15-Dec-89	LF		510	53
FISHER	652	0	1	.5		0	1	0	15-Dec-89			510	53
FISHER	653	1	0	1.5		0	1	0	1-Jan-90	LF		420	22
FISHER	654	1	0	1.5		0	1	0	29-Dec-89			420	22
FISHER	655	0	1	.5		1	0	0	26-Nov-89			420	22
FISHER	730	1	0	1.5		1	0	0		LF			
FISHER	763	0	1	.5		1	0	0	6-Jan-90			060	19
FISHER	764	0	1	.5		1	0	0				060	19
FISHER	800	0	1	.5		0	1	0	18-Nov-89			060	19
FISHER	801	0	1	.5		1	0	0					
FISHER	802	0	1	.5		0	1	0					
FISHER	803	1	0	7.5		0	1	0					
FISHER	843	0	1	.5		1	0	0	15-Dec-89			060	19
FISHER	844	1	0	4.5		0	1	0					
FISHER	845	0	1	.5		0	1	0					
FISHER	883	0	1	.5		0	1	0	21-Dec-89			340	23
FISHER	884	0	1	.5		1	0	0	18-Dec-89	LF		340	23
FISHER	885	0	1	.5		0	1	0	21-Dec-89			340	23
FISHER	914	0	1	.5		1	0	0	20-Nov-89	QUILLS IN THROAT		001	
FISHER	915	0	1	.5		0	1	0		RF		001	
FISHER	916	0	1	.5		1	0	0					
FISHER	B2446					1	0	0		LF VERY LARGE ANIMAL			
FISHER	B2447					1	0	0	1-Jan-90			440	08
FISHER	B2448					1	0	0		LF			
FISHER	B2449					1	0	0	1-Jan-90	RH		430	11
FISHER	B2633					1	0	0					
FISHER	B2634					1	0	0					
FISHER	B2635					1	0	0	2-Dec-89			440	08
FISHER	B2636					1	0	0				510	53
FISHER	B2637					1	0	0		LF			
FISHER	B2645					1	0	0	11-Jan-90	LH		430	11
FISHER	B2664					0	1	0	2-Dec-89	LF		440	08
FISHER	B2683					1	0	0	1-Nov-89			430	11
FISHER	B2686					1	0	0	2-Dec-89			440	08

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
FOX	124	0	1	.5		0	1	0				013	
FOX	125	0	1	.5		1	0	0				013	
FOX	126	0	1	.5		0	1	0		SHOT IN CHEST		013	
FOX	127	0	1	.5		1	0	0				013	
FOX	128	0	1	.5		1	0	0				013	
FOX	129	1	0			1	0	0				013	
FOX	130	0	1	.5		1	0	0				013	
FOX	131	0	1	.5		1	0	0				013	
FOX	132	0	1	.5		1	0	0				013	
FOX	133	0	1	.5		1	0	0				060	14
FOX	167	1	0			1	0	0	1-Sep-89			060	14
FOX	168	1	0			1	0	0	1-Sep-89				
FOX	169	0	1	.5		1	0	0	1-Sep-89				
FOX	170	0	1	.5		1	0	0	1-Sep-89	0	0		
FOX	171	0	1	.5		1	0	0	1-Sep-89	0	0		
FOX	172	0	1	.5		1	0	0	1-Sep-89	0	0		
FOX	173	0	1	.5		1	0	0	1-Sep-89	0	0		
FOX	174	0	1	.5		1	0	0	1-Sep-89	0	0		
FOX	175	0	1	.5		1	0	0					
FOX	177	0	1	.5		1	0	0					
FOX	178	0	1	.5		0	1	0					
FOX	179	0	1	.5		1	0	0					
FOX	180	0	1	.5		0	1	0					
FOX	181	0	1	.5		1	0	0					
FOX	202	0	1	.5		1	0	0	1-Jan-90			001	
FOX	327	0	1	.5		1	0	0	20-Dec-89			060	18
FOX	578	0	1	.5		1	0	0				510	30
FOX	620	0	1	.5		0	1	0	19-Dec-89			360	20
FOX	882	0	1	.5		0	1	0	27-Dec-89			340	23
LT WEASE						1	0	0	11-Aug-89	T 413 TAIL 160 B 257	MAKINAK	010	
LT WEASE	000					0	1	0		T376 TAIL 127 B252	STE. ROSE	010	
LT WEASE	205	1	0	2.5		0	1	0	5-Feb-90			001	
LT WEASE	342	0	1	.5		1	0	0	12-Dec-89	RH T 457 TAIL 168 B 293	STE. ROSE AREA	010	
LT WEASE	343	0	1	.5		1	0	0	12-Dec-89	LF T427 TAIL 158 B 278	GILBERT PLAINS	010	
LT WEASE	344	0	1	.5		1	0	0	12-Dec-89	T 428 TAIL 155 B 280	GILBERT PLAINS	010	
LT WEASE	345	0	1	.5		1	0	0	23-Dec-89	T415 TAIL 148 BODY 267 LF	10 MI. N OF STE ROSE	010	
LT WEASE	346	0	1	.5		0	1	0	25-Nov-89	T 367 TAIL 125 BODY 245	SW25-22-15, STE ROSE	010	
LT WEASE	347	0	1	.5		1	0	0	22-Nov-89	T450 TAIL 160 B 282	10 MI. N OF STE ROSE	010	
LT WEASE	804	1	0	1.5		1	0	0	1-Dec-89	T470 TAIL 175 B 300		220	02
LT WEASE	805	0	1	.5		1	0	0	1-Dec-89	T470 TAO; 170 B 300 LF		220	02
LT WEASE	806	0	1	.5		1	0	0	1-Dec-89	T450, TAIL 160 B285	SE12-35-29W	010	
LT WEASE	807	0	1	.5		1	0	0	1-Dec-89	T435 B 285 TAIL 155	SE12-35-29W	010	
LT WEASE	808	0	1	.5		1	0	0	1-Dec-89	T420 B 270 TAIL 165	SE12-35-29W	010	
LT WEASE	926	0	1	.5		1	0	0		T435 B270 TAIL 165 SUMMER	COAT	012	
LT WEASE	927	0	1	.5		0	1	0		T 370 B 240 TAIL 127		012	
LT WEASE	928	0	1	.5		1	0	0		T 445 B290 TAIL 170	ASS. R VALLEY 4 MI. N OF BR	008	
LT WEASE	929	0	1	.5		1	0	0	11-Dec-89	T460 B 290 TAIL 175	32-9-20W	008	
LT WEASE	930	0	1	.5		1	0	0		T445 B285 TAIL 160		210	
LT WEASE	931	0	1	.5		1	0	0	12-Dec-89	T450 B290 TAIL 160 18-5-9E		001	
LT WEASE	932	0	1	.5		1	0	0		T410 B270 TAIL 145	NE 15-11-19W	009	
LT WEASE	933	1	0	3.5		0	1	0	23-Dec-89	T400 B260 TAIL 140	NW 21-4-29	010	
LT WEASE	934	0	1	.5		1	0	0		T435 B275 TAIL 165			

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
LYNX						1	0	0		NO SKULL	EST T 800		
LYNX		0	1	.5	0	0	0	1	12-Jul-90			430	18
LYNX	468	1	0	1.5		1	0	0	8-Jan-90	T825, LF		280	
LYNX	469	1	0	1.5		1	0	0	2-Jan-90	T865		260	
LYNX	471	1	0	1.5		1	0	0		T785, GHA 21A			
LYNX	473					1	0	0	15-Nov-89	T820		410	19
LYNX	474	0	1	.5		1	0	0	14-Dec-89	T660		410	18
LYNX	475	0	1	.5		1	0	0	18-Nov-89	T610		002	
LYNX	476	1	0	11.5		1	0	0		SHOT IN HEAD. T800			
LYNX	478	1	0	1.5		1	0	0	10-Jan-90	T810		150	13
LYNX	479	1	0	1.5		1	0	0	27-Nov-89	T840		410	18
LYNX	480	1	0	2.5		1	0	0	15-Jan-90	T830 RF		420	23
LYNX	481	1	0	1.5		1	0	0		T830			
LYNX	482	1	0	1.5		0	1	0	2-Dec-89	T785, LH	#1 UTERUS	420	14
LYNX	483	0	1	.5		0	1	0	20-Dec-89	T640 # 2 UTERUS		420	23
LYNX	484	1	0	1.5		1	0	0	9-Dec-89	T820		360	20
LYNX	485	1	0	1.5		0	1	0	1-Dec-89	T765 #3 UTERUS		150	28
LYNX	486	1	0	1.5		0	1	0	5-Dec-89	T750 #4 UTERUS		150	22
LYNX	487	1	0	1.5		0	0	1	17-Dec-89	SKULL ONLY		150	01
LYNX	488	1	0	1.5		0	1	0	15-Dec-89	T750 RH #5 UTERUS		150	40
LYNX	489	0	1	.5		0	1	0	14-Dec-89	T750 #6 UTERUS		150	40
LYNX	490	0	1	.5		1	0	0	3-Dec-89	T620		150	22
LYNX	491	0	1	.5		1	0	0	14-Dec-89	T630		150	40
LYNX	492	1	0	1.5		0	0	1	4-Dec-89	SKULL ONLY		150	27
LYNX	493	1	0	3.5		0	0	1	3-Dec-89	SKULL ONLY		150	23
LYNX	494	0	1	.5		0	0	1	3-Dec-89	SKULL ONLY		150	23
LYNX	495	1	0	1.5		0	0	1	11-Dec-89	SKULL ONLY		150	23
LYNX	496	0	1	.5		0	0	1	11-Dec-89	SKULL ONLY		150	23
LYNX	497	1	0	1.5		0	0	1	9-Dec-89	SKULL ONLY		150	23
LYNX	498					1	0	0	3-Dec-89	T650		150	01
LYNX	499	1	0	1.5		1	0	0	1-Jan-90	T830		150	22
LYNX	500	1	0	2.5		0	1	0	14-Dec-89	#7 UTERUS T730		150	32
LYNX	501	1	0	1.5		0	0	1	3-Dec-89			150	40
LYNX	502	1	0	1.5		1	0	0	2-Dec-89	T880		150	22
LYNX	504	1	0	2.5		1	0	0	18-Dec-89			150	01
LYNX	505	0	1	.5		1	0	0	6-Dec-89	SUSPECT SHOT IN ABDOMEN	T680	260	
LYNX	506	0	1	.5		1	0	0	5-Dec-89			150	39
LYNX	507	1	0	1.5		0	1	0	21-Nov-89	LF, T 790 #8 UTERUS	NO TAG RECORD YET	150	23
LYNX	508	1	0	1.5		1	0	0	6-Dec-89	T800 RF		210	17
LYNX	509	1	0	1.5		1	0	0	4-Dec-89	LF T830		070	
LYNX	510	1	0	1.5		1	0	0	18-Dec-89	T860		420	22
LYNX	511	1	0	1.5		1	0	0		T770 LF		150	01
LYNX	512	1	0	1.5		1	0	0	1-Dec-89	T860		060	19
LYNX	513	0	1	.5		1	0	0	6-Jan-90	T775		013	
LYNX	514	1	0	1.5		0	1	0	19-Jan-90	T800 #9 UTERUS		420	11
LYNX	515	1	0	1.5		1	0	0	8-Dec-89	T830		100	08
LYNX	516	1	0	2.5		0	1	0	14-Dec-89	T725 #10 UTERUS LF		380	
LYNX	517	1	0	8.5		0	1	0	1-Dec-89	T790 #11 UTERUS		090	
LYNX	518	1	0	1.5		1	0	0	1-Jan-90	T820		410	18
LYNX	519	1	0	1.5		0	1	0	7-Dec-89	T740 UTERUS 12		410	18
LYNX	520	1	0	1.5		0	1	0		T780 #13 UTERUS		380	02
LYNX	521	0	1	.5		0	1	0	1-Jan-90	T680 LF #14 UTERUS		350	05

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
LYNX	522	1	0	1.5		1	0	0	15-Nov-89	T810		370	68
LYNX	523	1	0	1.5		0	1	0	9-Dec-89	T820 #15 UTERUS		370	68
LYNX	524	1	0	2.5		1	0	0	9-Dec-89	T850		370	68
LYNX	525	1	0	2.5		0	1	0	22-Dec-89	CARCASS 730/732	T800 #16 UTERUS	410	27
LYNX	526	1	0	1.5		0	1	0	22-Dec-89	CARCASS 730 OR 732	T800 #17 UTERUS	410	27
LYNX	527	1	0	2.5		1	0	0	8-Jan-90	T870		280	
LYNX	528	0	1	.5		0	1	0		T660 #18 UTERUS		060	19
LYNX	529	1	0	2.5		0	1	0	15-Nov-89	RF T820 #19 UTERUS		350	08
LYNX	530	1	0	3.5		1	0	0	8-Dec-89	T820		060	19
LYNX	531	1	0	1.5		0	1	0	15-Feb-90	T780 #20 UTERUS		280	
LYNX	532	1	0	5.5		0	1	0	14-Dec-88	T800 SHOULDER		260	
LYNX	533	1	0	1.5		0	1	0	28-Dec-89	T770		380	02
LYNX	534	1	0	1.5		0	1	0	7-Dec-89	T790		380	02
LYNX	535	1	0	1.5		1	0	0	23-Jan-90	T830		350	05
LYNX	595	1	0	2.5		1	0	0	24-Jan-90	T830		340	22
LYNX	609	1	0	1.5			0	0	14-Dec-89	SKULL ONLY		360	38
LYNX	610	0	1	.5		0	0	1	2-Dec-89	SKULL ONLY		510	11
LYNX	611					0	0	1	8-Dec-89	OR 1106 SKULL ONLY		510	12
LYNX	626	0	1	.5		1	0	0	1-Nov-89			430	21
LYNX	633	1	0	1.5		0	0	1	28-Nov-89			360	30
LYNX	634	1	0	3.5		1	0	0	7-Jan-90	T820		400	03
LYNX	635	1	0	1.5		1	0	0				350	08
LYNX	637	1	0	1.5		1	0	0	24-Dec-89	T830		350	02
LYNX	728	1	0	1.5		1	0	0	3-Jan-90	T790		070	08
LYNX	729	0	1	.5	0	0	1	0	6-Dec-89	T610		070	28
LYNX	731	1	0	1.5		1	0	0	2-Dec-89	RF T800		350	08
LYNX	760	1	0	2.5		1	0	0	28-Dec-89	T820 LF		060	20
LYNX	761	1	0	1.5		1	0	0	7-Dec-89	T780 L SHOULDER BRUISE		070	28
LYNX	762	1	0	1.5		1	0	0	7-Jan-90	T822		070	28
LYNX	784	1	0	1.5		0	1	0	27-Dec-89	T810		350	08
LYNX	785	1	0	1.5		0	1	0	6-Jan-90	RF T760		060	20
LYNX	786	1	0	1.5		1	0	0	7-Dec-89	T770		070	28
LYNX	787	1	0	1.5		1	0	0	7-Feb-90	T770		070	04
LYNX	788	1	0	2.5		1	0	0	30-Nov-89	T810		080	01
LYNX	839	1	0	1.5		1	0	0	20-Jan-90	T800		070	28
LYNX	840	1	0	1.5		0	1	0	27-Dec-89	T APPROX 760]		070	10
LYNX	935	1	0	1.5		0	0	1	14-Dec-89	SKULL ONLY		430	19
LYNX	936	1	0	2.5		1	0	0		T770		060	20
LYNX	937	1	0	1.5		0	1	0	11-Nov-89	T 730			
LYNX	B2643					0	0	1	25-Jan-90			430	11
LYNX	B2644					0	0	1	29-Dec-90			430	12
LYNX	B2685	1	0		0	1	0	0	26-Jan-90	T86		430	17
LYNX	B2687					0	0	1	28-Jan-90			430	17
LYNX	B2688	0	1	.5	0	0	0	1	30-Jan-90			430	17
LYNX	B4129	0	1	0.0	0	0	1	0	20-Jan-90			430	11
LYNX	B4130					0	1	0	30-Dec-89			440	08
LYNX	B4131					1	0	0	2-Jan-90			430	12
LYNX	B4132	0	1	.5	0	0	1	0	1-Jan-90			430	18
LYNX	B4133					1	0	0	28-Jan-90			430	17
MARTEN	094	0	1	.5		1	0	0				070	19
MARTEN	095	0	1	.5		0	1	0				070	19
MARTEN	117	0	1	.5		1	0	0				220	07

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MARTEN	118	0	1	.5		1	0	0				220	07
MARTEN	119	0	1	.5		0	1	0				220	07
MARTEN	120	1	0			1	0	0				220	07
MARTEN	121	0	1	.5		1	0	0				220	07
MARTEN	122	0	1	.5		1	0	0				060	14
MARTEN	149	0	1	.5		1	0	0		LF		001	
MARTEN	187	0	1	.5		0	1	0				210	24
MARTEN	188	0	1	.5		1	0	0				210	23
MARTEN	189	0	1	.5		0	1	0				210	23
MARTEN	190	1	0	1.5		0	1	0		R THIGH		220	10
MARTEN	191	1	0			1	0	0				220	10
MARTEN	192	1	0			0	1	0				220	10
MARTEN	193	1	0			0	1	0				220	10
MARTEN	194	1	0	1.5		1	0	0				220	10
MARTEN	195	1	0			1	0	0				220	10
MARTEN	196	1	0			1	0	0				220	10
MARTEN	217	0	1	.5		1	0	0					
MARTEN	218	1	0	1.5		1	0	0					
MARTEN	219					1	0	0	1-Dec-88	RF		210	13
MARTEN	220	1	0			0	1	0	1-Dec-88	RF		210	13
MARTEN	221	1	0			0	1	0	1-Dec-88			210	13
MARTEN	222	0	1	.5		0	1	0	1-Dec-88			210	13
MARTEN	223	0	1	.5		1	0	0	1-Dec-88	LF		210	13
MARTEN	224	1	0			0	0	1	1-Dec-88			210	13
MARTEN	247	0	1	.5		1	0	0	29-Dec-89			060	04
MARTEN	248	1	0	1.5		1	0	0	4-Jan-90			060	04
MARTEN	249	0	1	.5		1	0	0				060	04
MARTEN	250	1	0			0	1	0	31-Dec-89			060	03
MARTEN	251	0	1	.5		0	1	0	31-Dec-89			060	03
MARTEN	254	1	0	3.5		1	0	0		LF			
MARTEN	255	0	1	.5		1	0	0		RF			
MARTEN	256	1	0			0	1	0		LH			
MARTEN	257	1	0			0	1	0		RF			
MARTEN	258	1	0			0	1	0		LF			
MARTEN	259	0	1	.5		1	0	0		RF			
MARTEN	260	0	1	.5		1	0	0		RF			
MARTEN	261	1	0			1	0	0					
MARTEN	262	1	0	6.5		1	0	0					
MARTEN	2622A					1	0	0					
MARTEN	263	1	0			1	0	0					
MARTEN	264	1	0			0	1	0					
MARTEN	265	0	1	.5		1	0	0		RF			
MARTEN	266	1	0	1.5		1	0	0		RH			
MARTEN	270					1	0	0				210	26
MARTEN	271	1	0			0	1	0				210	26
MARTEN	272	0	1	.5		0	1	0				210	26
MARTEN	273	0	1	.5		0	1	0		LH		210	26
MARTEN	274	0	1	.5		1	0	0				210	26
MARTEN	275	0	1	.5		1	0	0		RF		210	26
MARTEN	276	1	0			1	0	0		LF		210	26
MARTEN	277	1	0			1	0	0				210	26
MARTEN	278					1	0	0		RF		210	26

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MARTEN	279	1	0	2.5		1	0	0				210	26
MARTEN	280	0	1	.5		1	0	0				210	26
MARTEN	281	0	1	.5		1	0	0		RF		210	26
MARTEN	301	1	0			1	0	0	17-Nov-89	RH		060	19
MARTEN	302	0	1	.5		0	0	1	16-Nov-89			060	19
MARTEN	303	0	1	.5		1	0	0	7-Nov-89	RF		060	19
MARTEN	304	0	1	.5		1	0	0	18-Nov-89	LH		060	19
MARTEN	305	0	1	.5		0	1	0	2-Dec-89	RF		060	19
MARTEN	306	0	1	.5		1	0	0	11-Nov-89			060	19
MARTEN	307	0	1	.5		1	0	0	10-Nov-89			060	19
MARTEN	308	0	1	.5		1	0	0	8-Nov-89	LH		060	19
MARTEN	309	0	1	.5		1	0	0	8-Nov-89			060	19
MARTEN	310	0	1	.5		1	0	0	2-Dec-89			060	19
MARTEN	319	1	0			0	1	0					
MARTEN	320	1	0			1	0	0					
MARTEN	321	0	1	.5		1	0	0					
MARTEN	322	1	0			1	0	0	29-Nov-89			060	03
MARTEN	323	1	0	1.5		1	0	0	29-Nov-89			060	03
MARTEN	325	0	1	.5		1	0	0	1-Nov-89	LF		060	18
MARTEN	326						1	0	1-Nov-89			060	18
MARTEN	333	0	1	.5		0	0	1				210	18
MARTEN	334	0	1	.5		1	0	0				210	
MARTEN	335	0	1	.5		0	1	0				210	
MARTEN	336	1	0			1	0	0				210	12
MARTEN	337	1	0			0	1	0				210	12
MARTEN	338	0	1	.5		0	1	0				210	12
MARTEN	339	1	0			1	0	0				210	12
MARTEN	340	0	1	.5		0	1	0				210	12
MARTEN	341	1	0			0	1	0				210	12
MARTEN	348	1	0	1.5		1	0	0		LH LARGE, ORANGE PAWS		100	06
MARTEN	349	1	0			1	0	0				100	06
MARTEN	350	0	1	.5		0	1	0		RH		100	06
MARTEN	351	0	1	.5		1	0	0				100	06
MARTEN	352	0	1	.5		0	1	0				100	06
MARTEN	353	1	0			0	1	0				100	06
MARTEN	354	0	1	.5		1	0	0		RF		100	06
MARTEN	355	1	0			0	1	0		LH		100	06
MARTEN	356	0	1	.5		0	1	0		LF		100	06
MARTEN	357	0	1	.5		0	1	0				100	06
MARTEN	358	0	1	.5		1	0	0		LH		100	06
MARTEN	359	0	1	.5		1	0	0		RF		100	06
MARTEN	360	0	1	.5		1	0	0				100	06
MARTEN	361	0	1	.5		0	1	0				100	06
MARTEN	362	1	0			1	0	0		RF		100	06
MARTEN	363	0	1	.5		1	0	0				100	06
MARTEN	364	1	0			0	1	0				100	06
MARTEN	365	1	0	1.5		1	0	0				100	06
MARTEN	366	1	0			0	1	0				100	06
MARTEN	367	0	1	.5		1	0	0		LF		100	06
MARTEN	372	1	0			0	1	0		LH		220	06
MARTEN	373	0	1	.5		1	0	0				220	06
MARTEN	374	0	1	.5		1	0	0				220	06

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MARTEN	375	1	0			0	1	0				220	06
MARTEN	376	0	1	.5		1	0	0				220	06
MARTEN	377	0	1	.5		1	0	0				220	06
MARTEN	381	0	1	.5		1	0	0				210	
MARTEN	382	1	0			1	0	0				210	15
MARTEN	383	0	1	.5		0	1	0				210	
MARTEN	384	0	1	.5		1	0	0				210	15
MARTEN	385	0	1	.5		0	1	0				210	15
MARTEN	386	1	0			1	0	0				210	15
MARTEN	387	0	1	.5		1	0	0				210	15
MARTEN	388	0	1	.5		1	0	0				210	15
MARTEN	389					1	0	0		RF		210	17
MARTEN	38A					1	0	0				210	15
MARTEN	390	0	1	.5		1	0	0		RF		210	17
MARTEN	391	0	1	.5		1	0	0		RH		210	17
MARTEN	392	0	1	.5		1	0	0		LF		210	17
MARTEN	393	0	1	.5		1	0	0				210	17
MARTEN	394	0	1	.5		1	0	0				210	17
MARTEN	395	1	0			1	0	0		LH		210	17
MARTEN	396	0	1	.5		1	0	0		RF		210	17
MARTEN	397	0	1	.5		0	1	0		RF		210	17
MARTEN	398	0	1	.5		1	0	0				210	17
MARTEN	399	0	1	.5		1	0	0		LF		210	17
MARTEN	400	0	1	.5		1	0	0				210	17
MARTEN	401	0	1	.5		0	1	0				210	17
MARTEN	402	1	0			1	0	0		LH		210	17
MARTEN	403	0	1	.5		1	0	0				210	17
MARTEN	404	1	0			1	0	0		RF		210	17
MARTEN	405	0	1	.5		0	1	0		RF		210	17
MARTEN	406	0	1	.5		1	0	0		RF		210	27
MARTEN	407	0	1	.5		1	0	0				210	27
MARTEN	408	0	1	.5		0	1	0				210	27
MARTEN	409	1	0			0	1	0				210	27
MARTEN	410	0	1	.5		1	0	0				210	27
MARTEN	411	1	0	1.5		0	1	0				210	27
MARTEN	412	0	1	.5		1	0	0					
MARTEN	413	1	0			0	1	0					
MARTEN	414	0	1	.5		1	0	0		LH			
MARTEN	415	0	1	.5		1	0	0				210	27
MARTEN	416	1	0			1	0	0		RF		210	27
MARTEN	417	1	0			0	1	0				210	27
MARTEN	418	0	1	.5		1	0	0		LF		210	27
MARTEN	419	1	0	1.5		0	1	0				210	27
MARTEN	420	1	0			1	0	0		RF		210	27
MARTEN	421	0	1	.5		1	0	0		RF		210	27
MARTEN	422	0	1	.5		1	0	0				210	27
MARTEN	423	1	0	1.5		1	0	0		LF		210	27
MARTEN	428	0	1	.5		1	0	0		DM?			
MARTEN	429	1	0			0	1	0		DM?			
MARTEN	430	0	1	.5		1	0	0		DM?			
MARTEN	431	0	1	.5		1	0	0		DM?			
MARTEN	432	0	1	.5		1	0	0		DM?			

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MARTEN	433					1	0	0		DM?			
MARTEN	434	0	1	.5		1	0	0		DM?			
MARTEN	435	0	1	.5		0	1	0		DM?			
MARTEN	436	0	1	.5		0	1	0		DM?			
MARTEN	437	1	0			1	0	0		DM?			
MARTEN	438	1	0			0	1	0		DM?			
MARTEN	439	1	0			0	1	0		DM?			
MARTEN	440	0	1	.5		0	1	0		DM?			
MARTEN	441	0	1	.5		1	0	0		DM?			
MARTEN	447	1	0			0	1	0				220	09
MARTEN	449	0	1	.5		1	0	0				100	
MARTEN	450	0	1	.5		0	1	0				100	
MARTEN	451	1	0			0	1	0				100	
MARTEN	452	0	1	.5		1	0	0				100	
MARTEN	453	1	0			1	0	0				100	
MARTEN	454	1	0	1.5		1	0	0				100	
MARTEN	458	0	1	.5		1	0	0					
MARTEN	462	0	1	.5		1	0	0				060	03
MARTEN	463	0	1	.5		0	1	0		LH		060	09
MARTEN	564	0	1	.5		1	0	0				510	33
MARTEN	568	1	0	1.5		1	0	0	24-Oct-90			510	30
MARTEN	569	1	0			0	1	0	21-Jan-90			510	30
MARTEN	570	0	1	.5		0	1	0	21-Jan-90			510	30
MARTEN	571	1	0			1	0	0	21-Jan-90	LF		510	30
MARTEN	572	0	1	.5		0	1	0	21-Jan-90			510	30
MARTEN	579	0	1	.5		0	1	0				420	01
MARTEN	580	0	1	.5		0	1	0				420	01
MARTEN	581	1	0			1	0	0	7-Nov-89			420	01
MARTEN	582	0	1	.5		1	0	0	15-Nov-89	RF		420	01
MARTEN	583	1	0			1	0	0	10-Nov-89	LF		420	01
MARTEN	584	1	0			1	0	0	18-Dec-89	RF		420	01
MARTEN	585	1	0			1	0	0	18-Nov-89	LF		420	01
MARTEN	586	0	1	.5		1	0	0	30-Dec-89			420	22
MARTEN	587	0	1	.5		1	0	0	14-Dec-89	LF		420	01
MARTEN	588	1	0			0	1	0	8-Dec-89			420	01
MARTEN	589	0	1	.5		0	1	0	1-Jan-90	LF		420	22
MARTEN	590	1	0	1.5		1	0	0	5-Jan-90			420	23
MARTEN	615	0	1	.5		0	1	0	8-Dec-89			420	01
MARTEN	616	1	0	3.5		1	0	0					
MARTEN	617	1	0			1	0	0	15-Nov-89	RH		420	01
MARTEN	618	0	1	.5		0	1	0	20-Nov-89	LF		420	01
MARTEN	619	1	0			1	0	0	18-Dec-89			420	01
MARTEN	661	0	1	.5		0	1	0				420	23
MARTEN	662	1	0			1	0	0	8-Dec-89			420	23
MARTEN	663	0	1	.5		0	1	0	8-Dec-89			420	01
MARTEN	664	0	1	.5		0	1	0	12-Nov-89	LF		420	01
MARTEN	665	0	1	.5		0	1	0	23-Nov-89	RH		420	01
MARTEN	666	1	0			0	1	0	7-Nov-89			420	01
MARTEN	672	1	0			1	0	0		LF		210	08
MARTEN	673	0	1	.5		1	0	0		LF		210	08
MARTEN	674	1	0	1.5		1	0	0		LF		210	08
MARTEN	675	0	1	.5		1	0	0		LF		210	08

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MARTEN	676	0	1	.5		1	0	0		RF		210	08
MARTEN	677	0	1	.5		1	0	0		RF		210	08
MARTEN	678	0	1	.5		1	0	0		RF		210	08
MARTEN	679	1	0			1	0	0				210	08
MARTEN	680	0	1	.5		1	0	0				210	08
MARTEN	681	0	1	.5		0	1	0				210	08
MARTEN	682	0	1	.5		1	0	0		LF		210	08
MARTEN	683	1	0			1	0	0		LF		210	08
MARTEN	684	0	1	.5		1	0	0				210	08
MARTEN	685	0	1	.5		1	0	0		LH		210	08
MARTEN	686	0	1	.5		1	0	0		RF		210	08
MARTEN	687	0	1	.5		1	0	0		RF		210	08
MARTEN	688	1	0			1	0	0		RF		210	08
MARTEN	689	1	0			1	0	0				210	08
MARTEN	690	0	1	.5		1	0	0				210	08
MARTEN	691	0	1	.5		1	0	0		RF		210	08
MARTEN	692	0	1	.5		0	1	0		RF		210	08
MARTEN	693	1	0			0	1	0				210	08
MARTEN	694	0	1	.5		1	0	0		LF		210	08
MARTEN	695	0	1	.5		1	0	0		BRUISED HEAD		210	08
MARTEN	696	0	1	.5		0	1	0		LF		210	08
MARTEN	697	1	0			1	0	0	7-Nov-90			210	01
MARTEN	698	1	0	2.5		0	1	0	7-Nov-89			210	01
MARTEN	699	1	0			1	0	0	25-Jan-90			210	01
MARTEN	700	1	0			1	0	0	25-Jan-90			210	01
MARTEN	701	1	0			1	0	0	18-Jan-90				
MARTEN	702	1	0	2.5		1	0	0	18-Jan-90			210	01
MARTEN	703	1	0			1	0	0	27-Nov-89			210	01
MARTEN	704	0	1	.5		1	0	0	27-Nov-89			210	01
MARTEN	705	0	1	.5		1	0	0	1-Nov-89			210	01
MARTEN	706	0	1	.5		0	1	0	1-Nov-89			210	01
MARTEN	707	0	1	.5		1	0	0	1-Dec-89			210	01
MARTEN	708	1	0			0	1	0	14-Jan-90			210	01
MARTEN	709	0	1	.5		0	1	0	5-Dec-89			210	01
MARTEN	710	1	0	1.5		0	1	0	21-Jan-90			210	01
MARTEN	711	0	1	.5		1	0	0	22-Jan-90			210	01
MARTEN	712	1	0			1	0	0	10-Jan-90			210	01
MARTEN	713	1	0			0	1	0	28-Nov-89			210	01
MARTEN	714	1	0	1.5		1	0	0	24-Dec-89			210	01
MARTEN	715	1	0			1	0	0				210	
MARTEN	716	0	1	.5		1	0	0				210	
MARTEN	717	1	0			0	1	0				210	
MARTEN	718	0	1	.5		1	0	0				210	
MARTEN	719	0	1	.5		1	0	0				210	
MARTEN	720	0	1	.5		0	1	0				210	
MARTEN	721	1	0			0	1	0				210	
MARTEN	722	1	0	1.5		1	0	0				210	
MARTEN	723	1	0			1	0	0				210	
MARTEN	724	0	1	.5		1	0	0		LH		210	
MARTEN	725	0	1	.5									
MARTEN	726	0	1	.5		1	0	0				210	
MARTEN	727	0	1	.5		1	0	0		LF		210	

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MARTEN	732	1	0			1	0	0				210	
MARTEN	733	0	1	.5		0	1	0				210	
MARTEN	734	0	1	.5		1	0	0				210	
MARTEN	735	1	0			1	0	0				210	
MARTEN	736	1	0			0	1	0				210	
MARTEN	737	1	0			1	0	0					
MARTEN	738	1	0	2.5		1	0	0		LF			
MARTEN	742	0	1	.5		0	1	0				210	05
MARTEN	743	0	1	.5		1	0	0				210	05
MARTEN	744	0	1	.5		1	0	0				010	
MARTEN	745	0	1	.5		1	0	0				010	
MARTEN	746	1	0			1	0	0				010	
MARTEN	747	1	0			0	1	0				010	
MARTEN	748	1	0			1	0	0				210	20
MARTEN	749	0	1	.5		1	0	0				210	20
MARTEN	750	1	0			1	0	0				210	20
MARTEN	751	1	0			1	0	0				210	20
MARTEN	752	1	0			0	1	0				210	20
MARTEN	753	1	0	8.5		0	0	1				210	20
MARTEN	754	1	0			0	1	0	13-Feb-90	RH		070	19
MARTEN	755	1	0			0	1	0	13-Feb-90			070	19
MARTEN	756	0	1	.5		1	0	0	13-Feb-90			070	19
MARTEN	757	0	1	.5		1	0	0					
MARTEN	759	0	1	.5		0	1	0	10-Dec-89			010	
MARTEN	765	1	0			1	0	0				210	04
MARTEN	766	0	1	.5		1	0	0				210	04
MARTEN	767	1	0	1.5		1	0	0		RF		210	04
MARTEN	768	1	0			0	1	0				210	04
MARTEN	769	1	0			0	1	0	2-Jan-90			210	04
MARTEN	770	0	1	.5		1	0	0				210	16
MARTEN	771	0	1	.5		1	0	0		RF		210	16
MARTEN	772	0	1	.5		1	0	0				210	16
MARTEN	773	0	1	.5		1	0	0				210	16
MARTEN	774	1	0			1	0	0				210	16
MARTEN	775	1	0	12.5		0	1	0		LH		210	16
MARTEN	776	0	1	.5		0	0	1				210	16
MARTEN	777	0	1	.5		1	0	0				210	16
MARTEN	778	0	1	.5		0	1	0				210	16
MARTEN	779	0	1	.5		1	0	0				210	16
MARTEN	780	0	1	.5		1	0	0				210	16
MARTEN	781	0	1	.5		1	0	0				210	16
MARTEN	782	0	1	.5		1	0	0				210	16
MARTEN	790	1	0			1	0	0	11-Nov-89			210	12
MARTEN	791	1	0	2.5		1	0	0	20-Nov-89			210	12
MARTEN	792	1	0			1	0	0	29-Nov-89			210	12
MARTEN	793	0	1	.5		0	1	0	20-Nov-89			210	12
MARTEN	794	0	1	.5		0	1	0	20-Nov-89			210	12
MARTEN	795	1	0	1.5		1	0	0	27-Nov-89			210	12
MARTEN	796	1	0			1	0	0	2-Dec-89			210	12
MARTEN	797	0	1	.5		1	0	0	17-Nov-89			210	12
MARTEN	798	1	0			1	0	0					
MARTEN	799	0	1	.5		0	1	0					

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MARTEN	809	0	1	.5		0	1	0		LF			
MARTEN	810	1	0			1	0	0				210	27
MARTEN	811	0	1	.5		0	1	0				210	27
MARTEN	812	0	1	.5		1	0	0				210	23
MARTEN	813	0	1	.5		0	1	0				210	23
MARTEN	814	1	0			0	1	0				210	23
MARTEN	815	1	0			1	0	0				210	14
MARTEN	816	1	0	1.5		1	0	0				210	14
MARTEN	817	0	1	.5		1	0	0		LH		210	14
MARTEN	818	0	1	.5		1	0	0				210	14
MARTEN	819	1	0			1	0	0					
MARTEN	820	1	0	2.5		0	1	0					
MARTEN	821	0	1	.5		1	0	0				210	13
MARTEN	822	0	1	.5		1	0	0	16-Dec-89	LF		060	19
MARTEN	823	0	1	.5		1	0	0	16-Dec-89	RH		060	19
MARTEN	824	0	1	.5		1	0	0					
MARTEN	826	1	0			1	0	0	28-Dec-89			080	09
MARTEN	827	0	1	.5		0	1	0	28-Dec-89			080	09
MARTEN	828	1	0			0	1	0	3-Jan-89			080	09
MARTEN	829	0	1	.5		0	1	0	27-Dec-89			080	09
MARTEN	830	0	1	.5		1	0	0	31-Dec-89			080	09
MARTEN	831	1	0			1	0	0	21-Dec-89			080	09
MARTEN	832					1	0	0	28-Dec-89			080	09
MARTEN	833	0	1	.5		1	0	0	28-Dec-89			080	09
MARTEN	834	0	1	.5		1	0	0	3-Jan-90			080	09
MARTEN	847	0	1	.5		1	0	0	29-Dec-89	RF		060	19
MARTEN	848	0	1	.5		1	0	0	31-Dec-89			080	09
MARTEN	849	0	1	.5		1	0	0					
MARTEN	850	0	1	.5		1	0	0					
MARTEN	851	1	0	1.5		1	0	0		RH			
MARTEN	852	0	1	.5		1	0	0					
MARTEN	853	1	0			0	1	0					
MARTEN	854	0	1	.5		1	0	0	1-Jan-90	RF		560	08
MARTEN	855	0	1	.5		0	1	0	1-Jan-90	LF		560	08
MARTEN	856	0	1	.5		1	0	0	1-Jan-90			560	08
MARTEN	857	0	1	.5		1	0	0	1-Dec-89	LF		560	08
MARTEN	858	1	0			0	1	0	1-Dec-89	LF		560	08
MARTEN	859	0	1	.5		1	0	0	1-Dec-89			560	08
MARTEN	860	0	1	.5		0	1	0	1-Dec-89			560	08
MARTEN	861	1	0			1	0	0	1-Dec-89			560	08
MARTEN	862	0	1	.5		1	0	0	1-Dec-89			560	08
MARTEN	863	0	1	.5		1	0	0	1-Dec-89			560	08
MARTEN	864	1	0			0	1	0	1-Dec-89			560	08
MARTEN	865	0	1	.5		1	0	0	1-Dec-89			560	08
MARTEN	866	1	0			0	1	0	1-Dec-89			560	08
MARTEN	867	1	0	5.5		0	1	0	1-Dec-89	LH		560	08
MARTEN	868	0	1	.5		0	1	0	1-Dec-89			560	08
MARTEN	869	1	0			1	0	0	1-Dec-89	LF		560	08
MARTEN	870	0	1	.5		0	1	0	1-Dec-89	RF		560	08
MARTEN	871	1	0	4.5		1	0	0	1-Dec-89			560	08
MARTEN	872	0	1	.5		1	0	0	1-Dec-89	LF		560	08
MARTEN	873	0	1	.5		1	0	0	1-Dec-89			560	08

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MARTEN	874	0	1	.5		1	0	0	1-Dec-89	RF		560	08
MARTEN	875	0	1	.5		0	1	0	1-Dec-89	RF		560	08
MARTEN	876	0	1	.5		1	0	0	1-Dec-89			560	08
MARTEN	877	0	1	.5		1	0	0	1-Dec-89			560	08
MARTEN	878	1	0			1	0	0	1-Dec-89			560	08
MARTEN	879	0	1	.5		1	0	0	1-Dec-89			560	08
MARTEN	880	0	1	.5		1	0	0	1-Jan-90	LF		560	08
MARTEN	881	1	0			0	1	0	1-Jan-90			560	08
MARTEN	886	0	1	.5		1	0	0	1-Dec-89			340	23
MARTEN	887	0	1	.5		1	0	0	2-Jan-89			340	23
MARTEN	888	0	1	.5		1	0	0	12-Jan-90			340	23
MARTEN	889	0	1	.5		0	1	0	5-Jan-90			340	23
MARTEN	890	0	1	.5		1	0	0	24-Nov-89			340	23
MARTEN	891	1	0	3.5		1	0	0	29-Dec-89			340	23
MARTEN	892	1	0			1	0	0				340	23
MARTEN	893	1	0			1	0	0	29-Dec-89			340	23
MARTEN	919	1	0			1	0	0				210	09
MARTEN	920	1	0	4.5		1	0	0				210	09
MARTEN	921	1	0			1	0	0				210	09
MARTEN	922	0	1	.5		1	0	0				210	09
MARTEN	923	0	1	.5		1	0	0				210	09
MARTEN	924	0	1	.5		1	0	0				210	09
MARTEN	925	0	1	.5		1	0	0				210	09
MARTEN	B2601					0	1	0					
MARTEN	B2602					1	0	0					
MARTEN	B2603					1	0	0					
MARTEN	B2604					0	1	0					
MARTEN	B2605					1	0	0					
MARTEN	B2606					0	1	0					
MARTEN	B2607					0	1	0					
MARTEN	B2608					1	0	0					
MARTEN	B2609					0	2	0					
MARTEN	B2610					1	0	0					
MARTEN	B2611					0	1	0					
MARTEN	B2612					1	0	0					
MARTEN	B2613					1	0	0					
MARTEN	B2614					0	1	0					
MARTEN	B2615					1	0	0					
MARTEN	B2616					1	0	0					
MARTEN	B2617					1	0	0	5-Dec-90				
MARTEN	B2618					1	0	0					
MARTEN	B2619					1	0	0					
MARTEN	B2620					1	0	0					
MARTEN	B2621					1	0	0					
MARTEN	B2622					1	0	0					
MARTEN	B2623					1	0	0					
MARTEN	B2624					1	0	0					
MARTEN	B2625					1	0	0					
MARTEN	B2626					1	0	0					
MARTEN	B2627					1	0	0					
MARTEN	B2628					1	0	0					
MARTEN	B2629					1	0	0					

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MARTEN	B2630					1	0	0					
MARTEN	B2631					1	0	0					
MARTEN	B2657					0	0	1		3.5 MI S OF COWAN		010	
MINK						1	0	0	1-Nov-89			430	11
MINK						1	0	0	1-Nov-89			430	11
MINK			0	0.0	1	0	1	0				430	11
MINK		0	0		1	0	0	1					
MINK		0	0		1	1	0		1-Jan-90			440	08
MINK		0	0		1	1	0	0					
MINK		0	0		1	1	0	0				440	08
MINK		0	0	1.0		0	1	0	1-Jan-90			440	08
MINK	108	1	0	2.5		1	0	0	1-Sep-89	0	0	060	14
MINK	111	1	0			1	0	0	1-Sep-89	0	0	060	14
MINK	112	1	0			1	0	0	1-Sep-89	0	0	060	14
MINK	113	0	1	.5		1	0	0	1-Sep-89	SHOULDERS	0	013	
MINK	114	1	0			1	0	0	1-Sep-89	0	0	220	07
MINK	115	0	1	.5		1	0	0	1-Sep-89	0	0	220	07
MINK	116	0	1	.5		1	0	0	1-Sep-89	0	0	220	07
MINK	156	0	1	.5		1	0	0	1-Sep-89	0	0	013	
MINK	157	0	1	.5		0	1	0	1-Sep-89	0	0	013	
MINK	158	1	0			1	0	0	1-Sep-89	0	0	013	
MINK	159	1	0			1	0	0	1-Sep-89	0	0	013	
MINK	160	0	1	.5		1	0	0	1-Sep-89	R.F.	0	013	
MINK	161	0	1	.5		1	0	0	1-Sep-89	0	0	013	
MINK	162	1	0			1	0	0	1-Sep-89	0	0	013	
MINK	163	1	0			1	0	0	1-Sep-89	L.H.,	0	013	
MINK	164	0	1	.5		1	0	0	1-Sep-89	R.H.,	0	013	
MINK	165	0	1	.5		1	0	0	1-Sep-89	HIP,	0	013	
MINK	166	1	0	1.5		1	0	0	1-Sep-89	0	0	013	
MINK	197	1	0			1	0	0				220	10
MINK	198	1	0			1	0	0				220	10
MINK	199	0	1	.5		1	0	0				220	10
MINK	203	1	0			1	0	0	1-Oct-90			001	
MINK	204	0	1	.5		0	1	0				001	
MINK	212					1	0	0	6-Nov-89			060	19
MINK	213	0	1	.5		1	0	0	2-Dec-89			060	19
MINK	214	0	1	.5		1	0	0	24-Nov-89			060	19
MINK	215	0	1	.5		0	1	0					
MINK	216	0	1	.5		1	0	0					
MINK	252	1	0			0	1	0				060	09
MINK	267	1	0			1	0	0					
MINK	268	0	1	.5		0	1	0					
MINK	282	0	1	.5		1	0	0				210	26
MINK	283	1	0			0	0	1				210	26
MINK	284	0	1	.5		1	0	0				210	26
MINK	285	0	1	.5		1	0	0				013	
MINK	286	0	1	.5		1	0	0		LF		013	
MINK	287	0	1	.5		1	0	0		LF		013	
MINK	288	1	0			1	0	0				013	
MINK	289	1	0			1	0	0				013	
MINK	290	0	1	.5		1	0	0				013	
MINK	291	0	1	.5		1	0	0				013	

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MINK	292	1	0			1	0	0				013	
MINK	293	0	1	.5		1	0	0				013	
MINK	311	1	0			1	0	0	29-Nov-89			060	19
MINK	312	1	0			0	1	0	18-Nov-89			060	19
MINK	313	0	1	.5		1	0	0	2-Nov-89	LF		060	19
MINK	314	0	1	.5		1	0	0	25-Nov-89	LF		060	19
MINK	315	0	1	.5		1	0	0	10-Nov-89	RF		060	19
MINK	316	0	1	.5		1	0	0	23-Nov-89			060	19
MINK	317	0	1	.5		1	0	0	20-Dec-89			060	18
MINK	318	1	0			1	0	0	29-Nov-89			060	03
MINK	368	0	1	.5		1	0	0				100	06
MINK	369	1	0			1	0	0		LH		100	06
MINK	378	1	0			1	0	0				220	06
MINK	379	1	0	2.5		1	0	0				220	06
MINK	380	0	1	.5		1	0	0				220	06
MINK	442	1	0			0	1	0		DM?			
MINK	443					1	0	0		DM?			
MINK	444	0	1	.5		0	1	0				220	09
MINK	445	1	0			1	0	0				220	09
MINK	446	0	1	.5		1	0	0				220	09
MINK	451					1	0	0	1-Dec-89			060	03
MINK	455	1	0	2.5									
MINK	456	1	0			1	0	0		RF		060	
MINK	457	1	0			1	0	0	26-Nov-89			060	03
MINK	459	0	1	.5	0	1	0	0	1-Dec-89			060	03
MINK	460	0	1	.5		1	0	0	1-Dec-89			060	03
MINK	554	0	1	.5		0	1	0	21-Feb-90			510	33
MINK	555	0	1	.5		0	1	0	21-Feb-90			510	33
MINK	556	0	1	.5		0	1	0	21-Feb-90			510	33
MINK	557	0	1	.5		1	0	0	21-Feb-90	RF		510	33
MINK	558	0	1	.5		0	1	0	21-Feb-90	LF		510	33
MINK	559	0	1	.5		0	0	1	21-Feb-90			510	33
MINK	560	0	1	.5		1	0	0	21-Feb-90	LF		510	33
MINK	561	0	1	.5		1	0	0	21-Feb-90			510	33
MINK	562	0	1	.5		1	0	0		RF		510	33
MINK	563	0	1	.5		0	1	0	21-Feb-90			510	33
MINK	573	0	1	.5		0	1	0	24-Jan-90			510	30
MINK	574	1	0			1	0	0	24-Jan-90			510	30
MINK	575	0	1	.5		0	1	0	21-Jan-90	LF		510	30
MINK	576	0	1	.5		0	1	0	24-Jan-90			510	30
MINK	621	0	1	.5		1	0	0	19-Dec-89			360	20
MINK	622	0	1	.5		1	0	0	21-Feb-90	RF		510	33
MINK	656	1	0			0	1	0	15-Dec-89	LH		510	53
MINK	657	0	1	.5		1	0	0	15-Dec-89				
MINK	658	0	1	.5		0	1	0	15-Dec-89			510	53
MINK	659	1	0	2.5		1	0	0	29-Jan-90			510	53
MINK	660	0	1	.5		0	1	0				510	53
MINK	667	1	0			0	1	0				210	08
MINK	668	1	0			1	0	0				210	08
MINK	669	1	0			0	1	0				210	08
MINK	670	1	0			1	0	0				210	08
MINK	670	1	0			1	0	0		RF		210	08

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
MINK	671	0	1	.5		0	1	0				210	08
MINK	739	1	0			1	0	0				210	05
MINK	740	1	0			1	0	0				210	05
MINK	741	0	1	.5		1	0	0				210	05
MINK	758	1	0			1	0	0	13-Feb-90			070	19
MINK	832	0	1	.5									
MINK	835					1	0	0	31-Dec-89			080	09
MINK	836					1	0	0	29-Dec-89			080	09
MINK	837	1	0	1.5		0	1	0	30-Dec-89			090	09
MINK	838	1	0			0	1	0	9-Jan-90			080	09
MINK	894	0	1	.5		1	0	0				340	23
MINK	895	0	1	.5		1	0	0	2-Dec-89			340	23
MINK	896	0	1	.5		1	0	0	20-Dec-89			340	23
MINK	897	0	1	.5		1	0	0	25-Nov-89			340	23
MINK	898	0	1	.5		1	0	0	25-Nov-89			340	23
MINK	899	0	1	.5		1	0	0	24-Nov-89			340	23
MINK	900	0	1	.5		1	0	0	25-Nov-89			340	23
MINK	901	0	1	.5		1	0	0	8-Dec-89			340	23
MINK	902	0	1	.5		1	0	0	2-Dec-89			340	23
MINK	903	0	1	.5		1	0	0				340	23
MINK	904	0	1	.5		1	0	0	22-Nov-89			340	23
MINK	905	0	1	.5		1	0	0	18-Dec-89			340	23
MINK	906	1	0			1	0	0	2-Dec-89			340	23
MINK	907	0	1	.5		1	0	0	23-Nov-89			340	23
MINK	908	1	0			0	1	0	8-Dec-89			340	23
MINK	909	0	1	.5		0	1	0	10-Jan-90			340	23
MINK	910	1	0			0	1	0	5-Jan-90			340	23
MINK	911	1	0			1	0	0	29-Nov-89			060	19
MINK	912	1	0			0	1	0	2-Dec-89			340	23
MINK	913	0	1	.5		0	1	0				340	23
MINK	B2638					1	0	0	10-Apr-90			510	53
MINK	B2639					0	1	0	1-Nov-89			430	11
MINK	B2640					0	1	0		RF		430	11
MINK	B2641					1	0	0					
MINK	B2642					1	0	0					
OTTER	134	1	0	1.5		1	1	0					
OTTER	135	0	1	.5		0	1	0					
OTTER	136	1	0			1	0	0					
OTTER	137	0	1	.5		0	1	0					
OTTER	138	1	0			1	0	0				060	14
OTTER	139	1	0	3.5		1	0	0				013	
OTTER	140	0	1	.5		0	1	0				013	
OTTER	141	0	1	.5		1	0	0				013	
OTTER	142	1	0			0	1	0				013	
OTTER	182	0	1	.5		0	1	0				013	
OTTER	183	0	1	.5		1	0	0				013	
OTTER	184	0	1	.5		1	0	0				220	08
OTTER	185	1	0			1	0	0					
OTTER	186	1	0			0	1	0					
OTTER	229	1	0			0	1	0	3-Dec-89			060	19
OTTER	230	1	0	1.5		0	1	0	16-Nov-89			060	19
OTTER	231	0	1	.5		1	0	0	6-Nov-89			060	19

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
OTTER	232	0	1	.5		0	1	0	23-Nov-89			060	19
OTTER	233					0	1	0	5-Dec-89			060	19
OTTER	234	0	1	.5		1	0	0	21-Nov-89			060	19
OTTER	235	1	0	4.5		0	1	0	8-Nov-89			060	19
OTTER	236	1	0			0	1	0	16-Nov-89			060	19
OTTER	237	1	0			1	0		8-Nov-89			060	19
OTTER	238	1	0			1	0	0	21-Nov-89			060	19
OTTER	239	1	0			0	1	0	26-Nov-89			060	19
OTTER	240	1	0	1.5		0	1	0	15-Jan-90			060	19
OTTER	241	1	0			1	0	0					
OTTER	242	0	1	.5		0	1	0					
OTTER	243	1	0		0	0	1	0				013	
OTTER	244	1	0		0	1	0	0				013	
OTTER	245	1	0	2.5									
OTTER	248					0	1	0				013	
OTTER	249					1	0	0				013	
OTTER	328	0	1	.5		1	0	0	1-Dec-89			220	09
OTTER	329	1	0			0	1	0				013	
OTTER	448	0	1	.5		1	0	0				220	09
OTTER	448	0	1	.5		1	0	0				340	35
OTTER	644	1	0			1	0	0	20-Nov-89			510	53
OTTER	645	1	0	6.5		0	1	0	7-Dec-89			420	21
OTTER	783	1	0			0	0	1	2-Nov-89			060	19
OTTER	825	1	0			1	0	0	2-Nov-89			060	19
OTTER	846	0	1	.5		1	0	0					
OTTER	917	0	1	.5		0	1	0	10-Dec-89			060	19
RACCOON	918	0	1	.5		1	0	0	7-Dec-89	SE13-9-12E		001	
SQUIRREL						0	0	1				220	06
SQUIRREL	000					0	0	1				220	06
ST WEASE						1	0	0				340	23
ST WEASE		0	0		1	0	0	1	12-Jul-89			530	01
ST WEASE	000					0	0	1	28-Jan-90			020	
ST WEASE	000					0	0	1				012	
ST WEASE	000					0	0	1				220	06
ST WEASE	000					1	0	0				340	23
ST WEASE	000					1	0	0				340	23
ST WEASE	000					1	0	0				340	23
ST WEASE	000					1	0	0				340	23
ST WEASE	000					1	0	0				340	23
ST WEASE	000					1	0	0				340	23
ST WEASE	000					1	0	0				340	23
ST WEASE	000					1	0	0				220	09
ST WEASE	000					1	0	0				220	06
WOLF						0	0	1	6-Oct-88	DISCARDED		013	
WOLF	143	0	1	.5		1	0	0	1-Jan-90			001	
WOLF	269	1	0	3.5		1	0	0		HEAD ONLY		210	26
WOLF	294	0	1	.5		0	1	0	15-Nov-89			350	02
WOLF	295	0	1	.5		1	0	0	15-Nov-89			350	02
WOLF	296	0	1	.5		1	0	0	15-Nov-89	LH		350	02
WOLF	297	0	1	.5		1	0	0	15-Nov-89	SHOT, BRUISED LOWER RIB,RH		350	02
WOLF	298	0	1	.5		0	1	0				060	09

Species	Speci	Adult	Juv	Years	Unkn	Male	Female	Sexun	Datecaught	Comments	EXTRA	SECTION	LINE
WOLF	299	1	0	2.5		1	0	0				060	09
WOLF	420	1	0	6.5									
WOLF	424					0	1	0	19-Feb-90	MANGE, GHA 7A, SHOT?		340	
WOLF	425					0	1		19-Feb-90	GHA7A, MANGE		340	
WOLF	426	1	0	10.5		1	0	0	19-Feb-90	GHA7A, MANGE, LARGE		340	
WOLF	427	1	0	3.5		1	0	0	5-Dec-89	GHA 8, 33-56-29		013	
WOLF	467	1	0	4.5		1	0	0	7-Jan-90	FOUND DEAD, DM PROV. FORES	12-34-27W	010	
WOLF	841	0	1	.5		0	1	0	15-Dec-89			060	19
WOLF	842	0	1	.5		0	0	1	1-Jan-88			210	20
WOLF	B2630					1	0	0	17-Mar-90			510	53
WOLVERIN	608	0	1	.5		0	1	0	22-Jan-90	LF		510	12
WOLVERIN	612	0	1	.5		1	0	0	21-Feb-90			510	33
WOLVERIN	636	1	0	2.5		0	1	0	1-Jan-90	BEAVER BAIT		510	06